CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 18, 1989



Pergamon Press: Oxford New York Beijing Frankfurt São Paulo Sydney Tokyo Toronto

EXECUTIVE EDITOR

Dr. T. Stephen, 8 Lewis Close, Risinghurst, Headington, Oxford OX3 &JD, U.K.

POLICY BOARD

Chemistry and Biochemistry

- Professor O. Hutzinger (Chairman) (Alfreda Hutzinger, Editorial Assistant), University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 10 12 51, D-8580 Bayreuth, G.F.R.

Biology

Dr. J. Norris (Director of Group Research, Cadbury Schweppes Ltd.), The Lord Zuckerman Research Centre, The University, Whiteknights, P.O. Box 234, Reading RG6 2LA, U.K.

Ecotoxicology

- Prof. Dr. J. P. Giesy, Department of Fisheries and Wildlife, Michigan State University, East Lansing, MI 48824-1222, U.S.A.

- Dr. W. Klein, Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Grafschaft/Hochsauerland, D-5948 Schmallenberg, G.F.R.

Pharmaceutical Organic Chemistry

- Dr. E. Takabatake, Satsunan University, Faculty of Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-01, Japan

Toxicology

- Professor S. Safe, Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843. U.S.A.

Atmospheric Chemistry and Air Pollution

- Dr. M. A. K. Khalil, Oregon Graduate Center, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006, U.S.A.

PARTICIPATING BOARD

Chemistry and Biochemistry

Prof. Dr. K. Ballschmiter, Universität Ulm (MNH), Abteilung Analytische Chemie, Oberer Eselberg 0 26, D-7900 Ulm, G.F.R. Prof. T. F. Bidleman, Department of Chemistry and Marine Science Program, University of South Carolina, Columbia, SC 29208, U.S.A.

Dr. R. E. Clement, Ontario Ministry of the Environment, P.O. Box 213, Resources Road, Rexdale, Ontario, Canada M9W 2L1 Dr. P. E. Des Rosiers, Research and Development Office, U.S. Environmental Protection Agency, 401 M-Street SW, Washington, DC 20460, U.S.A.

Dr. H. S. Fuhr, c/o Mobay Corporation, HES Department, Bldg

5, Mobay Road, Pittsburgh, PA 15205, U.S.A. Dr. W. Giger, Swiss Federal Institute of Technology, Institute for Water Research and Water Pollution Control (EAWAG), CH-8600 Dubendorf, Switzerland

Prof. Dr. H. P. Hagenmaier, Department of Organic Chemistry, University of Tübingen, Auf der Morgenstelle 18, D-7400 Tübingen 1, G.F.R.

Dr. F. Hileman, Monsanto Company, 800 N Lindbergh Boulevard, St Louis, MO 63167, U.S.A.

Prof. R. A. Hites, School of Public and Environmental Affairs, 400E 7th Street, Indiana University, Bloomington, IN 47405, U.S.A.

Prof. Dr. P. M. Huang, Saskatchewan Institute of Pedology, University of Saskatchewan, Saskatoon, Canada S7N 0W0 Mr. D. W. Kuehl, US Environmental Protection Agency, Duluth, MN 55804, U.S.A.

Dr. R. C. Lao, Technology Development and Technical Services Branch, Environment Canada, River Road Environmental Technology Centre, Ottawa, Ontario, Canada K1A OH3

Prof. D. Mackay, Department of Chemical Engineering, University of Toronto, Canada M5S 1A4

Dr. T. Mill, Stanford Research International, 333 Ravenswood Avenue, Menio Park, CA 94025, U.S.A.

Prof. A. A. Moghissi, PO Box 7166, Alexandria, VA 22307,

Prof. Dr. H. Parlar, Gesamthochschule Kassel-Universität, Fachbereich 19 Biologie/Chemie, Heinrich-Plett-Strasse 40, D-3500 Kassel, G.F.R.

Prof. C. Rappe, University of Umeå, Institute of Environmental Chemistry, S-901 87 Umeå, Sweden

Dr. A. Sabljić, Institute Ruder Boškoyić, Department of Physical Chemistry, P.O.B. 1016, 41001 Zagreb, Croatia, Yugoslavia Prof. Dr. H.-R. Schulten, Fachhochschule Fresenius, Department of Trace Analysis, Dambachtal 20, D-6200 Wiesbaden,

Dr. G. Sundström, Dow Sverige AB, P.O. Box 7038,

S-103 86 Stockholm, Sweden

Prof. Dr. P. R. Wallnöfer, Bayerische Landesanstalt für Ernährung, Menzinger Strasse 54, D-8000 München, G.F.R. Dr. V. Zitko, Program Head, Toxicology and Organic Contaminants Section, Marine Chemistry Division, Department of Fisheries and Oceans, Biological Station, St. Andrews, New Brunswick, Canada EOG 2X0

Biology

Dr. A. G. Catroux, Laboratoire de Microbiologie des Sols, 7 Rue Sully, 21 Dijon, France

Prof. G. D. Floodgate, Department of Marine Biology, Marine Science Laboratories, Menai Bridge, Anglesey LL59 5EH, U.K. Prof. C. Nalewajko, Scarborough College, University of Toronto, West Hill, Ontario, Canada M1C 1A4

Ecotoxicology

Dr. S. M. Bartell, Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN 37830, U.S.A.

Dr. G. C. Butler, 4694 West 13th Avenue, Vancouver, British Columbia, Canada V6R 2V7

Prof. Dr. D. Calamari, Istituto di Entomologia, Facoltà di Agraria, Università degli Studi di Milano, Via Celoria 2, 1-20133 Milano, Italy

Dr. R. T. Digiulio, Duke University, School of Forestry and Environmental Studies, Durham, NC 27706, U.S.A.

Prof. Dr. W. Ernst, Alfred-Wegener-Institut für Polar- und Meeresforschung, Postfach 120161, Columbusstrasse, D-2850 Bremerhaven, G.F.R.

Prof. M. Goto, Institute of Ecotoxicology, Gakushuin University, Faculty of Science, 151 Merjiro, Toshima-Ku, Tokyo 171, Japan

Dr. P. C. Kearney, Natural Resources Institute, USDA, ARS, Office of Deputy Area Director, Building 001, Room 233, Barc-West, Beltsville, MD 20705, U.S.A.

Dr. S. J. Klaine, Memphis State University, Department of Biology, Memphis, TN 38152, U.S.A.

Dr. P. F. Landrum, Great Lakes Environmental Research Laboratory, NOAA/USDC, 2205 Commonwealth Boulevard, Ann Arbor, MI 48105-1593, U.S.A.

Prof. F. Schmidt-Bleek, OECD 2, Rue André-Pascal, F-75775 Paris Cedex 16, France

Dr. A. Spacie, Perdue University, Department of Forestry and Natural Resources, Forestry Building, West Lafayette, IN 47907, U.S.A.

Prof. R. Truhaut, Université de Paris, 4 Avenue Del Observatory, Centre Faculté de Pharmacie, F-75006 Paris 6, France

Pharmaceutical Organic Chemistry

Dr. C. Harinasuita, The CCB/TROMPMED Central Office, 420/6 Rajvithi Road, Bangkok 4, Thailand

Dr. C. Mitoma, Stanford Research Institute, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.

Toxicology, Pharmacokinetics and Epidemiology

Dr. R. Kociba, Dow Chemical Company, 1803 Building, Midland, MI 48674, U.S.A.

Prof. Dr. Y. Masuda, Daiichi College of Pharmaceutical Sciences, 22-1 Tamagawa-Cho, Minami-ku, Fukuoka 815, Japan

Dr. W. Mücke, c/o Bavarian State Ministry for State Development and Environmental Affairs and Ludwig-Maximilians-Universität München, Pernerstrasse 62, 8017 Ebersberg, G.F.R. Prof. Dr. Ch. Schlatter, Institute of Toxicology, Federal Institute of Technology, University of Zurich, Schorenstrasse 16, CH-8603 Schwerzenbach, Switzerland

Prof. Dr. R. R. Suskind, Department of Environmental Health, Kettering Laboratory, University of Cincinnati, 3223 Eden Avenue, Cincinnati, OH 45267, U.S.A.

Twenty-four issues per year, published in two volumes. Copyright © 1989 Pergamon Press plc

SUBJECT INDEX VOL. 18 1989

Accidents

Seveso, data analysis, mathematical approach in environmental science, 855

Adsorption

and chlorination of naphthalene on fly ash from municiple incinerators, 2193

incinerators, 2193 and structure of arylcarbamate, phenylurea and anilide pesticides in soil, relation to model organic adsorbents, 1871

model organic adsorbents, 1871 clean-up procedure for PCDDs and PCXDFs, rapid detn based on retention on activated carbon AX-21, 1741

coeffs of-, of organic chemicals, soil preparation for estimation, 1495

competitive-, of alkylbenzenes and water vapors on predominantly mineral surfaces, 1971 of dye-containing effluents with

of dye-containing effluents with different bentonites, effect of pH, 1707

organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and energetics, 2177

Agriculture

mutagenicity bioassays applied to evaluating land, 2423 phenoxy herbicide-exposed farm workers, non-Hodgkin's lymphoma,

sprayer of herbicides, elevated levels of 2,3,7,8-TCDD in tissues, single case study, 469

Algae

Cladoceran macrocopa, effect of Cd on feeding behaviour, of1681

Alkali

strong alkali, effect on PCDF and PCDD determination, 149

Ames test

mutagenicity assay, soils, 1657

Amines

diethylamine, detn in air using diffusive sampling and thiourea formation, high performance liquid chromatography, 2121 Amino acids

MIND actor tryptophan, UV-irradiation yields AHH-inducing compds with high affinity for Ah receptor, 1101

Ammonification

and nitrification of soil, effect of urea-pesticide combinations, 2329

Analysis

2,3,7,8-TCDD in serum for Vietnam veteran Agent orange study, detn, analytical methodology and method performance, ranch hand validation and half-life studies and selected NIOSH worker studies, 875

studies, 875 2,3,7,8-TCDD, detn in processed wastewater in parts per quadrillion level, 2257

2,3,7,8-TCDD, unusual nonlinearity effects observed, implications for quantitative accuracy, 819

adsorption of organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and energetics, 2177

brominated flame repartdants, formation of PCDD and PCDF, combustion equioment, analysis and synthesis of standards, 1235

butyltins in sediments, Boston habor, 2043 by EPAS RCRA method of bromochlorodibenzo-p-dioxins and dibenzofurans 8280

CDDs and CDFs, in surface water near chemical dump sites, analysis using aqueous phase liquid extractor, 133

chloranils, commercial samples,

chlorobenzenes, and permethrins, fate during anaerobic sewage sludge digestion, 1771

comparison of methods for chlorinated dioxin/dibenzofuran in pyrolysed transformer oil samples, 1093

correlation of adipose and blood levels of dioxin and dibenzofuran congeners in agent orange exposed Vietnam veterans, 517

data-, mathematical approach in environmental science, lecture

of Seveso, 855
dibenzofuran in diphenyl oxide and
realationship to brominated
dibenzofurans in brominated
diphenyl oxide 217

diphenyl oxide, 217 dioxin bioavailability to animals from contaminated soils, 925 dioxin in environmental samples,

application of IR spectroscopy, 897 dioxins and furans in ambient atmosphere, baseline study, 593

early-, for detection, recovery yields of 2,3,7,8-TCDD in soil samples at Seveso, 989

GC - headspace-, with dibromomethane as internal standard, quantitative detn of volatile organochlorine compds, in water, 1425

GC/MS techniques to measure 2,3,7,8-TCDD in ambient air, 141 headspace-, and AOX measurement, application to leachate from

waste landfills, 1943 human serum, 2,3,7,8-TCDD measurement, quality assurance program for large-scale study, 1009

humic substances extracted with dipolar aprotic sovents, FT-IR spectra, 1927

identification of bromo/chloro dibenzodioxins and dibenofurans in ash samples, 201 identification of methylsulphonyl

identification of methylsulphonyl dichlorobiphenyls, polychlorinated biphenyl methylsulphone congeners in human tissues, 477

tissues, 477
levels of 2,3,7,8-TCDD in adipose
tissues, persons of no known
exposure and in exposed persons,

LFER, sorbate-organic matter interactions, effect on sorption nonequilibrium, 1691 methods and exposure assessment,

concluding remarks, 1325 methods and exposure assessment of dioxins and furans, 17

methods, combustion equipment and synthesis of standards, formation of PBDD and PBDF from brominated flame retardants,

model compds for environmental

analyses, chlorination of p-cymene by Cl in CCl., 1921 multivariate data-, applied to PCDDs and PCDFs in municipal incinerator emissions, 1935

multivariate-, application to detn of PCBs in fly ash from

municiple incinerators, 2213 municipal incinerator fly ash for bromo- and bromochloro-dioxins, dibenzofurans and related

compds, 193 new protocol for multimedia characterisation of PCDDs and PCDFs by high resolution gas chromatography/high resolution mass spectrometry, 119 pattern-, of PCDDs and PCDFs in

environmental samples, approach to occurrence/source

correlation, 609 PCBs and DDT in white suckers, 2065 PCDD and PCDF samples, 847 PCDDs and PCDFs in human milk,

WHO/EURO quality study, 883 PCDFs and PCDDs determination, effect of strong alkali, 149 pine tree rings, acid deposition and element composition, 1913 procedures for measurement of

PCDDs/PCDFs in pulp and paper industry solid wastes, interlaboratory comparison of methods. 77

program for risk assessment, closed herbicide plant in Germany, 903

separating procedures for isolation of 2,3,7,8-TCDD and 2,3,7,8-TCDF from chemically-complex aqueous and solid matrices and quantitation at PPQ

to PPT concentrations, 93 survey of typical levels of PCBs in Welsh soils, 1665 TCDD transport at Times beach and

at Eglin AFB, rate comparison, 1305

trace level-, by capillary gas chromatography with electron capture and mass selective detection of phthalate esters in surface water and suspended particulate matter, 2161

tributyltin in environment, sources and fate, assessment of present status and research needs, 2015

Animals see also Fish birds, PCDDs and PCDFs, levels, trends and patterns in Scandinavian environmental

samples, 651 blubber of seals, identification of tris(chlorophenyl)methanol,

cattle feedlot, environmental fate

of ivermectin, 1531 dioxin bioavailability from contaminated soils, analytical assessment, 925 dioxin, dose response assessment,

eggs of common terns, PBC mixtures found by 3 parameters derived from the fractions of 45

congeners, 2303 female rat, liver DNA alterations by 2,3,7,8-TCDD and 1,2,3,7,8-

pentachlorodibenzo-p-dioxin, 681 lactating cows, bioavailability of administered grain- and soil-borne tritiated 2,3,7,8-TCDD,

lactating Holstein cows, bioavailability of administered grain and soil-borne tritiated 2,3,7,8-TCDD 1257 male rats, OCDD exposure, subchronic effects, 389

mammals, selective retention of PCDDs and PCDFs, a multiple cause problem, 677 marine mammals, increased threat of non-ortho

coplanar PCBs from land to

ocean, 485
mice and insects from various
environments, level of PCDD and

PCDF, 759 mice, 2,3,7,8-TCDD, physiologically-based pharmacokinetic model, 659 mice, arochlor 1254 as 2,3,7,8-

TCDD antagonist, 709 mice, TCDD treatment, increase in epidermal Langerhans cells in skin, 253

monkeys exposed to 2,3,7,8-TCDD, behaviour when transmitted maternally during gestation and for 4 months of nursing, 235

monkeys, chronic dietary intake of 2,3,7,8-TCDD at 5 or 25 ppt; TCDD kinetic and dose effect estimate of reproductive toxicity, 243

rat, metabolism of selected PCDFs, 259

rats and fish, bioaccumulation and elimination of tetrachlorbenzyltoluene, 2051

rats, comparative effects of 2,3,7,8-TCDD and progesterone on estrogenic responses, 745

rats, effect of TCDD on estradiol metabolism and enzyme altered foci in a two stage hepatocarcinogenesis model, 695

rats, perinatally dosed with 2,3,7,8-TCDD, 2,3,4,7,8-PCDF and 1,2,3,7,8-PCDD, relative toxicity measured by thymus weight and live enzyme induction 255 induction, 955

rats, subchronic relay toxicity study of PCDD and PCDF mixtures,

rats, subchronic toxicity of chlorinated dibenzofurans, 265 rats, synthesis of monooxygenase forms P-450c and P-450d, effect of TCDD and comparable inducers, 715

rats, TCDD-induced embryotoxicity, due to maternal toxicity? 291

rats, tissue distribution study in synthesis and use of mutagen 3-1°C-3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, 2229

Rhesus monkeys, chronic TCDD exposure, associated immune abnormalities, 313 rodents, 2,3,7,8-TCDD treatment,

decreased hepatic cytosolic glucocorticoid receptor binding, 737

selected species, toxic significance of 2,3,7,8-TCDD residues, 1079
Sprague-Dawley rats and Hartley guinea pigs, vitamin A homeostasis and 7-ethoxy-resorufin O-deethylase activity, 2,3,7,8-TCDD-induced changes,

Sptague-Dawley rats, effects of combinations of PCDDs/PCDfs, 283

Antibiotics

ivermectin environmental safety. an overview, 1565 ivermectin in cattle feedlot, environmental fate, 1531

ivermectin use, environmental fate
 and effects, 1543
UV-mediated antibiotic activity of

synthetic thiophenes and their acetylenic derivs, 2317

Aquatic organisms mussels from offshore oil production platform, vertical distribution of aliphatic and aromatic hydrocarbons, 1809

Mytilus edulis, octachlorostyrene, metabolism, 1573 quantitative structure-activity relationship to fatty acids and Na-salts, 1621

Aquatic systems

anoxic marine environment, distribution and fate of halogenated organic compds, 2247 aquatic toxicity and environmental behaviour of PCBs, comparison with polychlorinated monomethyl substituted diphenylmethanes,

Boston habor, butyltins in sediments, 2043 Dutch inland waters, PCDDs and

PCDFs, 539 harbours and lakes, distribution of polychlorinated biphenyls in water, sediment and biota, 2141

insect growth regulator, methoprene, detn in natural waters by capillary gas-liquid

chromatography, 2275 lake Ontario, relative toxicity of CDDs, CDFs and PCBs in salmonids to mammalian systems using toxic equivalent factors, 1413

lake water, linear alkylbenzene sulphonate degradation, effect of microbial population size, 1589

lakes, QWASI fugacity model, application to dynamics of organic and inorganic chemicals 1343

major watersheds in USA, 2,3,7,8-TCDD contamination of fish, 1997 non-ortho and mono-ortho coplanar PCBs from land to ocean, increasing threat to marine mammals, 485 PCDDs and PCDFs in selected

estuarine sediments, 553 river sediments, chlorinated dioxin and dibenzofuran levels, 831

selected estuarine sediments, PCDDs and PCDFs, 553 toxicity of marine sediments and

dredge spoils, evaluation with microtox bioassay, 2069 tributyltin in environment,

sources and fate, assessment of present status and research needs, 2015

Atmosphere

and chlorination of naphthalene on fly ash from municiple incinerators, 2193 air, detn of diethylamine using

diffusive sampling and thiourea formation, high performance liquid chromatography, 2121 ambient air and incinerator

testing for CDDs and CDFs by low resolution mass spectrometry, 585

ambient air, GC/MS techniques to measure 2,3,7,8-TCDD, 141 ambient air, PCDDs and PCDFs,

concentrations, sources and health risk assessment, 1713 ambient air sampling techniques for collecting PCDD, PCDF and

PCB, assessment, 177
ambient atmosphere around
municipal waste incinerators,
PCDDs and PCDFs in dust, 577

ambient atmosphere, baseline study for dioxins and furans, 593

dioxin removal in "energy from waste plants" comparison of air pollution control methods, 1731 indoor air of kindergartens,

levels of PCDD and PCDF, 617 indoor air pollution by dioxins in day nurseries, risk assessment and management, 1139 office buildings, background concentrations of PCDDs and

PCDFs, 599
pesticide dissipation from soil
and vapor decline in air, models for estimation, 2375

QWASI fugasity model, application to dynamics of organic and inorganic chemicals in lakes,

volatilisation and dissipation of acidic herbicides from soil under controlled conditions.

volatilisation and dissipation of halogenated pesticide from soil under controlled conditions,

Behaviour

of monkeys exposed to 2,3,7,8-TCDD transmitted maternally during gestation and for 4 months of nursing, 235

Bioaccumulation

and elimination of tetrachlorbenzyltoluene by rat and by fish, 2051

in mussels from offshore oil production platform, vertical distribution of aliphatic and aromatic hydrocarbons, 1809

Bioassay

in vitro AHH induction-, for detn of 2,3,7,8-TCDD equivalents, applications in pyrolysed flame retardant mixtures, 383
in vitro-, detection of dioxinlike activity in fish, sediment

and surface wipes, 793
AHH induction-, for the detn of 2,3,7,8-TCDD toxic equivalents, validation, 941

microtox-, evaluation of toxocity of marine sediments and dredge

spoils, 2069 mutagenicity-, applied to evaluating land, 2423

Bioavailability

dioxin to animals from

contaminated soils, analytical assessment, 925 of administered grain- and soilborne tritiated 2,3,7,8-TCDD to lactating cows, 1257 plant uptake of 2,3,7,8-TCDD from soil and potential influences of bioavailability, 1313

Bioconcentration levels of nitrated phenols in conifer needles, 2433

Biodegradation

soil mobility and mineralisation of nitroguanidine and guanidine nitrate, 2389

mineralisation and side effects of dichloprop dependent on organic C-content, 1447

Biota

and water and sediment of harbours and lakes, distribution of polychlorinated biphenyls, 2141

Biphenyls arochlor 1254 as 2,3,7,8-TCDD antagonist in mice, 709 chlorinated aromatic hydrocarbons, detn in fly ash by capillary gas chromatography and mass selective detection, evaluation of clean-up methods, 1401 coplanar PCB, PCDD and PCDF in

patients with Yusho disease and in Yusho oil, levels, 407 extremely toxic coplanar PCBs, new

studies, toxic significance of planar aromatic compds in Baltic ecosystem, 1067

methylsulphonyl polychlorinated biphenyls, inhibitory effect on aryl hydrocarbon hydroxylase

activity, 701 monomethyl-substituted diphenylmethanes, environmental behaviour, comparison with PCBs, pyrolysis experiments, 1199

municiple solid waste incinerator, evaluation and comparison of emission and immision of organic and inorganic compds, 2263

non-ortho and mono-ortho coplanar PCBs from land to ocean, increasing threat to marine mammals, 485 PCB and DDT, analysis in white suckers, 2065

PCB and PCDF, human exposure, increased SCE frequencies in lymphocytes when incubated with 3-naphthoflavone due to metabolic activation by P-450

isozymes, 687 PCB, CDD,and CDF relative toxicity in lake Ontario salmonids to mammalian systems using toxic equivalent factors, 1413

PCB detn in fly ash from municiple incinerators, application of multivariate analysis, 2213

PCB, DDT, DDE and HCB and PCDD/F isomer levels in various organs

in autopsy tissue from USA patients, 811
PCB disposal facilities, PCB, PCDD and PCDF contamination, 569

PCB, environmental behaviour and aquatic toxicity, comparison with polychlorinated monomethyl substituted diphenylmethanes,

PCB in Welsh soils, survey of typical levels, 1665

PCB metabolism, posssible involvement of frontier

electrons, 1955 PBC mixtures found in biological samples by 3 parameters derived from the fractions of 45 congeners, 2303

PCB, PCDD and PCDF in ambient air, assessment of sampling techniques for collection, 177 PCB, PCDD, PCD, DDTand DDE,

hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlordane, levels in human breast milk, 445

polychlorinated biphenyls, isomer specific detn, two-dimentional reaction gas chromatography, 101

polychlorinated biphenyl methylsulphone congeners in human tissues, identification of methylsulphonyl dichlorobiphenyls, 477

Buildings

kindergartens, indoor air, levels of PCDD and PCDF, 617 office buildings, background concentrations of PCDDs and PCDFs, 599

Calculations
data analysis, mathematical approach in environmental science, lecture of Seveso, 855

phenmedipham and other biscarbamates, distribution in inside leaf fragments of Chenopodium album and Spinacia oleracea plants, 2077

Catalysts
different Cl donors and catalysts,
pyrolysis of dibenzodioxin, dibenzofuran and 1,2,3,4-tetrabromodibenzodioxin, 1213

Chemicals

aqueous solubility and noctanol/water coeff correlations, 1837

dynamics of organic and inorganic-, in lakes, application of QWASI fugacity model, 1343

organic-, soil preparation for estimation of adsorption coeffs, 1495

planar aromatic compds, toxic significance in Baltic ecosystem, new studies on extremely toxic coplanar PCBs,

sorbate-organic matter interactions, effect on sorption nonequilibrium, 1691

tree damage, causes, 1855 water solubility and noctanol/water partition coeff, evaluation of procedure for measurement, result of ring test, 1749

Cholanthrene
2,3,7,8-TCDD and 3methylcholanthrene, dynamic comparison of rat liver

benzpyrene-hydroxylase induction, 723 2,3,7,8-TCDD, 3-methylcholanthrene and phenobarbital treated rats, two-dimensional gel electrophoresis of live microsomal proteins, 947

adsorption of organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and energetics, 2177

capillary gas-, and mass selective detection, detn ofchlorinated aromatic hydrocarbons in fly ash, evaluation of clean-up methods, 1401

capillary gas-, with electron capture and mass selective detection, trace level analysis of phthalate esters in surface water and suspended particulate

matter, 2161 capillary gas-liquid-, detn of insect growth regulator methoprene in natural waters,

chlortoluron levels and selectivity in wheat cultivars,

GC-headspace analysis with dibromomethane as internal standard, quantitative detn of volatile organochlorine compds, in water, 1425

GC/MS analysis and pyrolysis in on-line operation of brominated flame retardants, 1047

GC/MS and GC/MS/MS techniques, quantitation of TCDD in soils and sediments from industrial sites, 163

generator column, 2,3,7,8-TCDD

solubility studies, 933 high performance liquid-, detn of diethylamine in air using diffusive sampling and thiourea formation, 2121

high resolution gas /high resolution mass spectrometry, new analytical protocol for multimedia characterisation of PCDDs and PCDFs, 119 PCDDs and PCXDFs, clean-up

procedure for rapid detn based on retention on activated carbon

AX-21, 1741 reversed phase liquid-, with pyrenylethylsilylated and octadecylsilylated silica gel PCDD synthesis, purification of products, 827

serum levels of DDT, DDE and DDD, single step extraction and

single step extraction and cleanup procedure, 2985 soil mobility and mineralisation of nitroguanidine and guanidine nitrate, 2389 toxicity of selected N-containing aromatic compds in Tetrahymena pyriformis and Pimephales promelas test systems, 2283

two-dimentional reaction gas-, specific detn of polychlorinated biphenyl isomers, 101

various fused silica GC columns, retention of tetrachlorinated dibenzodioxins and dibenzofurans, 85

adsorption of organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and

energetics, 2177 for removal and disposal of chlorinated dioxins and other pollutants from industrial waste water, 333

Coal mining dioxin in paper mill sludge used to reclaim abandoned Appalachian coal mines, potential risk from exposure, 1131

Combustion

ash data from-, results of tier 4 national dioxin study, 1227 bromo/chloro dibenzodioxins and dibenofurans, identification in ash samples, 201

equipment, analytical methods and synthesis of standards, formation of PBDD and PBDF from brominated flame retardants,

municipal solid wastes and PCDD and PCDF emmisions, 1457 municipal solid wastes, PCDD and PCDF in emissions and in stack

gases, 1465

municipal waste, CDDs and CDFs from stacks, regulatory analysis of pollutant emissions, 1143

outdoor waste burning, resulting PCDDs and PCDFs in environment, 1025

PCDD/PCDF, sources and emissions,

products of high impact polystyrene with and without decabromodiphenyloxide/antimony trioxide as flame retardant, comparative toxicity using 1,2,7,8-TBDD and 2,3,7,8-TBDF as positive controls, preliminary report, 1243

slow-, and pyrolysis of benzene-HC1 mixtures, formation of chloroarenes, 1965

Complexing agents iron-, of NTA, EDTA and DTPA, aqueous photolysis, 1805

Computer studies study using MMP2 force field method for dioxin derivs, 1005

Concentration
chlorinated dibenzo-p-dioxins and
dibenzofurans in soil from vicinity of waste incinerator,

Conformation

octachlorodibenzofuran, evaluation of molecular structure, 1039

Congenital abnormalities
birth defects, hydatidiform mole and fetal deaths in utero bewteen 1952 and 1985 in hospital in Vietnam, 805 reproductive abnormalities in

women inhabiting herbicide sprayed and non-herbicide sprayed areas, 843

women giving birth to deformed babies and those with hyatidiform mole, estimate of differences seen at OB-GYN hospital in Vietnam, 801

Contamination fish by 2,3,7,8-TCDD, 1997 dioxin-, Missouri problem solution, 1171 food chain, PCDD/PCDF from incinerators, assessment and critical factors, 1123 PCDDs and PCDFs, potential source via interaction between sample and packaging material, 891

solving-, by dioxin, 1171
TCDD-, of Times beach, geometrical description, 1251
water supply-, by atrazine and molinate, report, 2339

Decontamination

soil and ground water beneath closed herbicide plant, case study, 1163

Degradation

carbafuran and its degradation products, effect on soil respiration and microbial numbers, 2345

fate of crude oil residues in sediments, 2093 ivermectin use, environmental fate and effects, 1543

linear alkylbenzene sulphonate-, in lake water, effect of microbial population size, 1589 mutagens 3-chloro-4-

(dichloromethyl)-5-hydroxy-2(5H)-furanone and E-2-chloro-2-(dichloromethyl)-4-oxo-butenoic acid, chemical stability, 2237

PCDDs, correlation of incineration

parameters, 1485 photo-, of pendimethalin in solvents and in Kalyani soil,

photocatalytic-, of bentazon by TiO₂ particles, 1437 thermal-, products of spruce needles, 1855

Dehalogenation

laboratory and field tests to demonstrate efficacy of KPEG reagent for PCDD and PCDF in hazardous wastes and contaminated soils, 835

Detoxification 2,3,7,8-TCDD in soil by full scale rotary-kiln incinerator, 355 dioxin contaminated waste using potassium polyethylene glycolate, 343

Dioxins

*C-2,3,7,8-TCDD, distribution between parenchymal and nonparenchymal rat hepatic cells and effect of vitamin A content

of these cells, 307 1,2,7,8-TBDD and 2,3,7,8-TBDF as positive controls, comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyloxide/antimony trioxide as flame retardant, preliminary report, 1243

2,3,7,8-TCDD and 1,2,3,7,8-pentachlorodibenzo-p-dioxin, liver DNA alterations in in

female rat, 681 2,3,7,8-TCDD and 3-methylchol-anthrene, rat liver benzpyrenehydroxylase induction, dynamic

comparison, 723 2,3,7,8-TCDD and Ah receptor protein, kinetics of interaction, 731

2,3,7,8-TCDD and progesterone, comparative effects on estrogenic responses in rats, 745

2,3,7,8-TCDD and related compds, blood levels, effects of

fasting, 525 2,3,7,8-TCDD at 5 or 25 ppt, chronic dietary intake of monkeys, TCDD kinetic and dose effect estimate of reproductive toxicity, 243
2,3,7,8-TCDD contamination of fish, 1997
2,3,7,8-TCDD equivalents, detn by

in vitro AHH induction bioassay, applications for pyrolysed flame retardant mixtures, 383 2,3,7,8-TCDD in adipose tissue,

elevated body burdens, 431

2,3,7,8-TCDD in ambient air, GC/MS techniques for measurement 141 2,3,7,8-TCDD in serum for Vietnam veteran Agent orange study,

detn, analytical methodology and method performance, ranch hand validation and half-life studies and selected NIOSH worker studies, 875

2,3,7,8-TCDD in serum, basis for measurment, 425 2,3,7,8-TCDD in soil samples at

Seveso, recovery yields of early analyses for detection, 989

2,3,7,8-TCDD, adipose tissue levels in adults in Vietnam 1984-87, 1057

2,3,7,8-TCDD, analysis, unusual non-linearity effects observed, implications for quantitative

accuracy, 819
2,3,7,8-TCDD, assessment of exposure in Seveso area, 913
2,3,7,8-TCDD, dechlorinated, toxicological evaluation of by-products, 2202

products, 2293

2,3,7,8-TCDD, detn in processed wastewater in parts per quadrillion level, 2257 2,3,7,8-TCDD, documentation for

occupational exposure limit, 1115

2,3,7,8-TCDD, effects of geograpical conditions, soil movement on distribution in adipose tissues from Vietnam,

2,3,7,8-TCDD, elevated levels in

tissue of herbicide sprayer, single case study, 469 2,3,7,8-TCDD in soil,

decontamination by full scale rotary-kiln incinerator, 355 2,3,7,8-TCDD-induced changes in

Sprague-Dawley rats and Hartley guinea pigs, vitamin A homeo-stasis and 7-ethoxyresorufin O-deethylase activity, 299 2,3,7,8-TCDD, induction of hepatic

monooxygenase system,

reexamination of dose response relationship, 363 2,3,7,8-TCDD levels in adipose tissues of persons of no known exposure and in exposed persons,

2,3,7,8-TCDD, measurement in human serum, quality assurance program for large-scale study, 1009

2,3,7,8-TCDD, monkeys exposure, behaviour when transmitted maternally during gestation and for 4 months of nursing, 235

2,3,7,8-TCDD, occcupationally exposed workers, assessment of immune system, quality control in cross-sectional epidemiological study, 867

2,3,7,8-TCDD, physiologically-based pharmacokinetic model, 659 2,3,7,8-TCDD residues in selected

animal species, 1079

2,3,7,8-TCDD, solubility studies using generator column, 933 2,3,7,8-substituted brominated dibenzodioxins and dibenzofurans, micro-scale bromination for synthesis from 13C-labelled

precursors, 1761
2,3,7,8-TCDD toxic equivalents, validation of AHH induction bioassay for detn, 941
2,3,7,8-TCDD treatment of rodents,

decreased hepatic cytosolic glucocorticoid receptor binding, 737

2,3,7,8-TCDD, tritiated, grain-and soil-borne, administered to lactating cows, bioavailability,

2,3,7,8-TCDD, 2,3,4,7,8-PeCDF and 1,2,3,7,8-PeCDD, relative toxicity measured by thymus weight and live enzyme induction in perinatally dosed rats, 955 2,3,7,8-TCDD, 3-methylcholanthrene

and phenobarbital treated rats, two-dimensional gel electrophoresis of live microsomal proteins, 947

advances in risk management control technologies, 41 analyses of environmental samples, application of IR spectroscopy,

analytical methods and exposure assessment, 17

and dibenzofuran congeners, correlation of adipose and blood levels in agent orange exposed

Vietnam veterans, 517 and furans in ambient atmosphere, baseline study, 593

and furans, monitoring in precipitation samples, 777 and related compds, formation and decomposition in fluidised bed

incinerators, 321 and simple chloroalkane, isotopic

carbon exchange, 2311

arochlor 1254 as 2,3,7,8-TCDD antagonist in mice, 709 bioavailability of grain and soil-borne tritiated 2,3,7,8-TCDD administered to lactating Holstein cows, 1257 bioavailability to animals from

contaminated soils, analytical assessment, 925

brominated flame retardants formation of PCDD and PCDF. combustion equioment, analysis and synthesis of standards, 1235 bromo- and bromochloro-dioxins,

dibenzofurans and related compds, analysis of municipal incinerator fly ash, 193

bromochlorodibenzo-p-dioxins and dibenzofurans, prep and analysis by EPAS RCRA method 8280

bromo/chloro dibenzodioxins and

dibenofurans, identification in ash samples, 201 CDD and CDF, ambient air and incinerator testing by low resolution mass spectrometry 585

CDD and CDF, characterisation of

risks, 33 CDDs and CDFs, establishing toxicity equivalence factors, reexamination of data used, 371

CDD and CDF from stacks of municipal waste combustors regulatory analysis of pollutant emissions, 1143 CDD and CDF in effluents and

sludge from pulp and paper mills, 1189

CDD and CDF in environment by tandem mass spectrometry, 155 CDD and CDF in surface water near

chemical dump sites, analysis using aqueous phase liquid

extractor, 133 CDD, CDF and PCB, relative toxicity in lake Ontario salmonids to mammalian systems using toxic equivalent factors,

chlorinated aromatic hydrocarbons, detn in fly ash by capillary gas chromatography and mass selective detection, evaluation of clean-up methods, 1401

chlorinated dibenzodioxin and dibenzofurans, concentration in soil from vicinity of waste incinerator, 851

chlorodibenzodioxin, hydrideenhanced photoreaction, 329 chlorinated dioxin and

dibenzofuran in human milk from Japan, India and USA, 975 chlorinated dioxin and dibenzofuran levels in sediments

collected from rivers, 831 chlorinated dioxin and other pollutants, clays for removal and disposal from industrial waste water, 333

chlorinated dioxin/dibenzofuran in pyrolysed transformer oil samples, comparison of analytical methods, 1093

comparative toxicity of combustion omparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyl oxide/antimony trioxide as flame retardant using 2,3,7,8-tetrabromodibenzo-p-dioxin and 2,3,7,8-tetrabromodibenzofuran as positive controls, 1243

contaminated waste, detoxification using potassium polyethylene glycolate, 343

contamination problems, solution in Missouri, 1171 contamination solving, 1171 content, use of phenoxy acid

herbicides in Sweden, 391

dibenzodioxins, thermal decomposition curves by scanned tube pyrolysis with on-line ion trap MS detection, 1017

derivs, computational study using MMP2 force field method, 1005

dioxin-like activity, detection in fish, sediment and surface wipes using in vitro bioassay, 793 dose response assessment, 1 from municipal waste incineration

and background environmetal contamination, comparison of human exposure, 643

in paper mill sludge used to reclaim abandoned Appalachian coal mines, potential risk from exposure, 1131 indoor air pollution in day

nurseries, risk assessment and management, 1139 international information

exchange, 753

Missouri dioxin problem, key factor, overcoming chemophobia,

municiple solid waste incinerator, evaluation and comparison of emission and immision of organic and inorganic compds, 2263 national study tier 4, ash data

from conbustion sources, 1227 OCDD exposure, subchronic effects, 389

OCDD on soils, photolysis, production of 2,3,7,8-TCDD, 1265 PBDD and PBDF, formation from brominated flame retardants, combustion equipment, analytical methods and synthesis of

standards, 1235
PCB, DDT, DDE and HCB and PCDD/F
isomer levels in various organs in autopsy tissue from USA patients, 811

PCB, PCDD and PCDF contamination,
PCB disposal facilities, 569
PCDD and PCDF, analysis of
samples, 847
PCDD and PCDF, ambient air

concentrations, sources and health risk assessment, 1713 PCDD and PCDF, background

concentrations in office

buildings, 599 PCDD and PCDF, blood and adipose tissue levels over 3 years in

patient after exposure, 635
PCDD and PCDF body burden from
food intake, 417
PCDD and PCDF, concentrations in human fat and liver samples, 491 PCDD and PCDF concentrations in municipal incinerator emissions,

interlaboratory validation, 185
PCDF and PCDD detn, effect of
strong alkali, 149
PCDD and PCDF, detn in environment
using high resolution mass

specrometry, 109 PCDD and PCDF, emissions from PVC-fire, 1031 PCDD and PCDF, formation by

production processes for Mg and refined Ni, 1379 PCDD and PCDF from municipal waste

incinerators, 1785 PCDD and PCDF in bleached pulp and

paper mills, occurrence and fate, 1181 PCDD and PCDF in dust of ambient

atmosphere in municipal waste incinerators, 577 PCDD and PCDF in Dutch inland

waters, 539 PCDD and PCDF in emissions and in fly ash, combustion of

municipal solid wastes, 1475 PCDD and PCDF in emissions and in stack gases, combustion of municipal solid wastes, 1465

PCDD and PCDF in environment resulting from outdoor waste burning, 1025 PCDD and PCDF in environmental

samples, pattern analysis, approach to occurrence/source

correlation, 609 PCDD and PCDF in hazardous wastes and contaminated soils, laboratory and field tests to demonstrate efficacy of KPEG reagent, 835

PCDD and PCDF in human milk, interim health risk evaluation, 1107

PCDD and PCDF in human milk WHO/EURO quality study, 883 PCDD and PCDF in mice and insects from various environments, 759

PCDD and PCDF in municipal incinerator emissions, application of multivariate data analysis, 1935 PCDD and PCDF in selected

estuarine sediments, 553 PCDD and PCDF in UK soils, survey

of background, 767
PCDD and PCDF in waste oil, soil and biological tissue samples, detn by simple clean-up procedures, 69 PCDD and PCDF isomers in blood of

Vietnam veterans two decades after exposure to agent orange, isomer specific measurement, 531 PCDD and PCDF, levels in adipose

tissue of occupationally exposaed workers, 507 PCDD and PCDF levels in breast

milk as correlated with fish

consumption, 455
PCDD and PCDF, levels in food
samples collected between 198587 in N and S Vietnam, 627

PCDD and PCDF levels in human milk depends on period of lactation,

PCDD and PCDF levels in human milk, dependence of various

milk, dependence of various parameters, 1063 PCDD and PCDF, levels in indoor air of kindergartens, 617 PCDD and PCDF mixtures, subchronic relay toxicity study, 277 PCDD and PCDF, levels, trends and patterns in Scandinavian

environmental samples, 651 PCDD and PCDF, new analytical protocol for multimedia characterisation by high resolution gas chromatography-

/high resolution mass spectrometry, 119 PCDD and PCDF, occurrence and fate in five bleached Kraft pulp and

paper mills, 1181 PCDD and PCDF on airborne particles, long range transport,

PCDD and PCDF, post-furnace formation, implications for control, 1051 PCDD and PCDF potential source of

contamination via interaction between sample and packaging material, 891

PCDD and PCDF presence in municipal solid wastes and in emissions on combustion, 1457

PCDD and PCDF, selective retention in mammals, a multiple cause problem, 677

PCDD and PCXDF, clean-up procedure for rapid detn based on retention on activated carbon AX-21, 1741

PCDD, coplanar PCB and PCDF in patients with Yusho disease and in Yusho oil, levels, 407

PCDD, destruction, correlation of incineration parameters, 1485 PCDD, PCDF and PCB in ambient air, assessment of sampling

techniques for collection, 177 PCDD synthesis, purification of products by reversed phase liquid chromatography with

pyrenylethylsilylated and octadecylsilylated silica gel, 827

PCDD/PCDF and chlorinated phenols in wood preservers for household use, 861

PCDD/PCDf, combinations, effects on Sptague-Dawley rats, 283 PCDD/PCDF, de novo synthesis on

fly ash of municipal waste incinerators, 1219 PCDD/PCDF from incinerators, food chain contamination assessment,

critical factors, 1123
PCDD/PCDF in pulp and paper
industry solid wastes,
procedures for measurement, interlaboratory comparison of

methods, 77 PCDD/PCDF, search for industrial sources, phthalocyanine dyes,

PCDD/PCDF, sources and emissions,

PCDD/PCDF, tetrachlorobenzoquinones as a source, 789 performance evaluation materials, environmental reference

materials program, 169 problem, key factor in Missouri, overcoming chemophobia, 1177 removal in "energy from waste plants" comparison of air

pollution control methods, 1731 photoinduced loss of vapour phase

TCDD, 1275 photolysis of octachlorodibenzo-pdioxin on soils, production of

2,3,7,8-TCDD, 1265 plant uptake of 2,3,7,8-TCDD from soil and potential influences of bioavailability, 1313

polychlorinated monobenzodioxins, monobenzofurans and monobromobenzenes, intermediates in formation of PCDDs and PCDFs during incineration of waste, 1431

polyhalogenated dibenzo-p-dioxins,

synthesis, 225 pyrolysis of dibenzodioxin, dibenzofuran and 1,2,3,4-tetrabromodibenzodioxin with different Cl donors and catalysts, 1213

risk management considerations, 57 TCDD and comparable inducers, effect on synthesis of monooxygenase forms P-450c and

P-450_d in rats, 715 TCDD and TCDF, retention on various fused silica GC columns,

TCDD, chronic exposure of Rhesus monkeys, associated immune abnormalities, 313

TCDD contamination of Times beach, geometrical description, 1251

TCDD distribution on all territory around Seveso and time dependence of its parameters, model description, 921

TCDD, effect on estradiol metabolism and enzyme altered foci in a two stage hepatocarcinogenesis model in

rats, 695 TCDD in soil, movement and fate, field and laboratory studies, 1297

TCDD in soil, parameters affecting

tranlocation, 1291 TCDD-induced embryotoxicity in rats, due to maternal toxicity? 291

TCDD, molecular geometry/toxicity correlations by Fourier transform IR spectroscopy, 981

TCDD, quantitation in soils and sediments from industrial sites, GC/MS and GC/MS/MS techniques,

163 TCDD transport at Times beach and at Eglin AFB, rate comparison,

TCDD treatment, increase in epidermal Langerhans cells in mouse skin, 253

twentynine halogenated dibenzo-pdioxins and fiftyfive dibenzofurans, prediction of vapor pressures, bioling pts and enthalpies of fusion by vapor pressure correlation method, 783 vapor phase TCDD, measurement a of photoinduced loss, 1275

Diseases see also Health hazards
Hodgkin's disease and non-Hodgkin
pymphoma, risk by pesticide
applicators, 395
non-Hodgkin's lymphoma, phenoxy

herbicide-exposed farm workers,

Yusho disease, levels of PCDDs, coplanar PCBs and PCDFs in patients and in Yusho oil, 407

Distribution

2,3,7,8-TCDD in adipose tissues from Vietnam, effects of geograpical conditions, soil movement and other variables,

and fate of halogenated organic compds in anoxic marine environment, 2247

coeffs and fluctuations, association between of Cs, Zn, Sr, Co, Cd, Ce, Ru, Tc and I in upper two horizons of Podzol forest soil, 2109

polychlorinated biphenyls in water, sediment and biota of harbours and lakes, 2141 TCDD on all territory arounf

SEveso and time dependence of its parameters, model description, 921

Dose response

assessment, 1319

2,3,7,8-TCDD, 3-methylcholanthrene and phenobarbital treated rats, two-dimensional gel electrophoresis of live microsomal proteins, 947

Dyes

dye-containing effluents with different bentonites, effect of pH on adsorption, 1707 phthalocyanine dyes, search for industrial sources of PCDD/PCDFs, 1207

Effluents

dye-containing-, with different bentonites, effect of pH on adsorption, 1707

frontier-, posssible involvement in PCBs metabolism, 1955

Electrophoresis

two-dimensional gel-, of live microsomal proteins, 2,3,7,8-TCDD, 3-methylcholanthrene and phenobarbital treated rats, 947

Emissions

rapporteur's comments, 1329

Elimination

PCDFs, elimination and absence of pharmacokinetic interaction in liver of rat, 665

Environment

analyses, model compds for, chlorination of p-cymene by Cl

in CCl., 1921 anoxic marine-, distribution and fate of halogenated organic compds, 2247

background contamination, dioxin from municipal waste incineration and comparison of

human exposure, 643 behaviour and aquatic toxicity of PCBs, comparison with polychlorinated monomethyl substituted diphenylmethanes, 1367

behaviour of monomethylsubstituted diphenylmethanes, compared with PCBs, pyrolysis

experiments, 1199
CDDs and CDFs, detn by tandem mass spectrometry, 155
data analysis, mathematical

approach in lecture of Seveso, 855

detn of PCDDs and PCDFs using high resolution mass specrometry, 109 fate and effects of ivermectin, 1543

fate of ivermectin in cattle feedlot, 1531

indoor-, benzo(A)pyrene levels
from kerosene heaters and woodburning fireplaces, 1829

organochlorine pesticides in-, parameters for prediction, octanol/water and air/water partition coeffs, 1987 PCDDs and PCDFs resulting from

outdoor waste burning, 1025 Culex pipiens of diallyl sulphide, insecticidal principle of garlic, 1525

reference materials program, dioxin performance evaluation

materials, 169 safety, an overview of ivermectin,

1565 Scandinavian samples, levels of PCDDs and PCDFs, trends and

patterns, 651 spread of organic compds, monitoring in precipitation samples, 777

ributyltin in-, sources and fate, assessment of present status and research needs, 2015 various, levels of PCDD and PCDF

in mice and insects, 759

2,3,7,8-TCDD, induction of hepatic monooxygenase system, reexamination of dose response relationship, 363 altered foci and estradiol

metabolism, effect of TCDD in a two stage hepatocarcinogenesis model in rats, 695 aryl hydrocarbon hydroxylase

activity, inhibitory effect of methylsulphonyl polychlorinated biphenyls, 701 monoxygenase forms P-450_c and P-

450_d synthesis in rats, effect of TCDD and comparable inducers, 715

rat liver benzpyrene-hydroxylase induction, dynamic comparison of 2,3,7,8-TCDD and 3methylcholanthrene, 723

thymus weight and live enzyme induction, rats perinatally dosed with 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF and 1,2,3,7,8-PeCDD, measurement of relative toxicity, 955 vitamin A homeostasis and 7-

ethoxyresorufin O-deethylase activity, 2,3,7,8-TCDD-induced

changes in Sprague-Dawley rats and Hartley guinea pigs, 299

Epidemiology 2,3,7,8-TCDD, occcupatrionally exposed workers, assessment of immune system, quality control in cross-sectional study, 867

phthalate esters in surface water and suspended particulate matter, trace level analysis by capillary gas chromatography with electron capture and mass selective detection, 2161

organo chlorine compds and bromodiphenyl ethers in livers of Altantic cod, 2131

Excretion

urinary products, detn after exposure of Man to o-xylene,

Exposure

analytical methods and exposure assessment, concluding remarks, 1325

Fasting

effects on blood levels of 2,3,7,8-TCDD and related compds,

Fatty acids and Na-salts, quantitative structure-activity relationship to aquatic organisms, 1621

kerosene heaters and wood-burning fireplaces, levels of benzo(A)pyrene in indoor environment, 1829 PVC-fire, PCDD and PCDF emissions,

1031

Fish 2,3,7,8-TCDD contamination, 1997 and rats, bioaccumulation and

elimination of tetrachlor-benzyltoluene, 2051 and sediment and surface wipes, detection of dioxin-like

activity using in vitro bioassay, 793 ivermectin use, environmental fate and effects, 1543

lake Ontario salmonids, CDDs, CDFs and PCBs in, relative toxicity to mammalian systems using toxic equivalent factors, 1413

livers of Altantic cod, presence of organo chlorine compds and bromodiphenyl ethers, 2131 PCDDs and PCDFs, levels, trends

and patterns in Scandinavian environmental samples, 651 rainbow trout, selective accumulation of chlorinated

paraffins(C₁₂ and C₁₆) in olfactory organ, 1821 toxicity of selected N-containing

aromatic compds in Tetrahymena pyriformis and Pimephales promelas test systems, 2283 white suckers, analysis for PCBs and DDT, 2065

Flame retardants

brominated-,, formation of PCDD and PCDF, combustion equipment, analysis and synthesis of standards, 1235

brominated-, pyrolysis and GC/MS analysis in on-line operation,

1047
comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyl oxide/antimony trioxide as flame repartdant using 2,3,7,8-tetrabromodibenzop-dioxin and 2,3,7,8tetrabromodibenzofuran as

positive controls, 1243
pyrolysed mixtures, applications
in vitro AHH induction bioassay
for detn of 2,3,7,8-TCDD
equivalents, 383

Fly ash

detn of chlorinated aromatic hydrocarbons by capillary gas chromatography and mass selective detection, evaluation of clean-up methods, 1401

from municiple incinerators, adsorption and chlorination of naphthalene, 2193 from municiple incinerators,

application of multivariate analysis to detn of PCBs, 2213 PCDD and PCDF in-, and in emissions from combustion of

municipal solid wastes, 1475

cattle feedlot, environmental fate of ivermectin, 1531

fish consumption, correlation with levels of PCDD and PCDF in breast milk, 455

food chain contamination, PCDD/PCDF from incinerators, assessment and critical factors, 1123

food intake, body burden from PCDD and PCDF, 417

food samples collected between 1985-87 in N and S Vietnam, levels of PCDDs and PCFDs, 627

2,3,4,7,8-PeCDF, 2,3,7,8-PCDD and 1,2,3,7,8-PeCDD, relative toxicity measured by thymus weight and live enzyme induction in perinatally dosed rats, 955

2,3,7,8-substituted brominated dibenzodioxins and dibenzofurans, micro-scale bromination for synthesis from 13C-labelled precursors, 1761 2,3,7,8-substituted PCDF

radioligands, receptor binding characteristics, 1089
1,2,7,8-TBDF and 2,3,7,8-TBDD as

positive controls, comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyloxide/antimony trioxide as flame retardant, preliminary report, 1243

analytical methods and exposure assessment, 17

and dioxins in ambient atmosphere, baseline study, 593 and dioxins, monitoring in

precipitation samples, 777 bromo- and bromochloro-dioxins, dibenzofurans and related compds, analysis of municipal

incinerator fly ash, 193 bromochlorodibenzo-p-dioxins and dibenzofurans, prep and analysis by EPAS RCRA method 8280

bromo/chloro dibenzodioxins and

dibenofurans, identification in ash samples, 201 CDF and CDD, ambient air and incinerator testing by low resolution mass spectrometry,

CDF and CDD, characterisation of risks, 33

CDF and CDD, concentration in soil from vicinity of waste incinerator, 851

CDF and CDD, establishing toxicity equivalence factors, reexamination of data used, 371

CDF and CDD from stacks of municipal waste combustors, regulatory analysis of pollutant emissions, 1143 CDF and CDD in environment by

tandem mass spectrometry, 155 CDF CDD and PCB, relative toxicity in lake Ontario salmonids to mammalian systems using toxic

equivalent factors, 1413 chlorinated aromatic hydrocarbons, detn in fly ash by capillary gas chromatography and mass

chromatography and mass selective detection, evaluation of clean-up methods, 1401 chlorinated-, and other pollutants, clays for removal and disposal from industrial waste water, 333 chlorinated dioxin and

dibenzofuran levels in sediments collected from rivers, 831

chlorinated dioxin and dibenzofuran in human milk from Japan, India and USA, 975 chlorinated dioxin/dibenzofuran in

pyrolysed transformer oil samples, comparison of analytical methods, 1093

chlorinated, formation by thermal decomp of vinylidene chloride polymer, 1737 chlorinated, subchronic toxicity

in rats, 265 comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyl oxide/antimony trioxide as flame retardant using 2,3,7,8-tetrabromodibenzop-dioxin and 2,3,7,8tetrabromodibenzofuran as

positive controlsm, 1243 dibenzofuran and dioxincongeners, correlation of adipose and blood levels in agent orange exposed

Vietnam veterans, 517 dibenzofuran, dibenzodioxin and 1,2,3,4-tetrabromodibenzodioxin, pyrolysis with different Cl

donors and catalysts, 1213
dibenzofuran in diphenyl oxide and
realationship to brominated
dibenzofurans in brominated

diphenyl oxide, 217 dibenzodifuran, thermal decomposition curves by scanned tube pyrolysis with on-line ion

trap MS detection, 1017 hydroxydibenzofuran, formation from chlorophenols adsorbed on Fe-ion exchanged

montmorillonite, 1895 municiple solid waste incinerator, evaluation and comparison of evaluation and comparison of emission and immision of organic and inorganic compds, 2263 OCDF, evaluation of molecular structure, 1039 PCDF and PCB, human exposure,

increased SCE frequencies in lymphocytes when incubated with g-naphthoflavone due to metabolic activation by P-450 isozymes, 687

PCDF and PCDD, ambient air

concentrations, sources and health risk assessment, 1713 PCDF and PCDD, analysis of samples, 847 PCDF and PCDD, background concentrations in office buildings, 599 PCDF and PCDD, blood and adipose tissue levels over 3 years in

patient after exposure, 635 PCDF and PCDD body burden from food intake, 417 PCDF and PCDD, concentrations in

human fat and liver samples, 491 PCDF and PCDD concentrations in municipal incinerator emissions, interlaboratory validation, 185 PCDF and PCDD detn, effect of

strong alkali, 149

PCDF and PCDD, detn in environment using high resolution mass specrometry, 109 PCDF and PCDD, emissions from PVC-

PCDF and PCDD, emissions from PVC-fire, 1031 PCDF and PCDD, formation by production processes for Mg and refined Ni, 1379 PBDF and PBDD, formation from brominated flame retardants, combustion equipment, analytical methods and synthesis of standards, 1235

standards, 1235
PCDF and PCDD from municipal waste incinerators, 1785
PCDF and PCDFs in bleached pulp

and paper mills, occurrence and fate, 1181

PCDF and PCDD in dust of ambient atmosphere in municipal waste incinerators, 577

PCDF and PCDD in Dutch inland waters, 539

PCDF and PCDD in emissions and in fly ash, combustion of municipal solid wastes, 1475 PCDF and PCDD in emissions and in stack gases, combustion of

municipal solid wastes, 1465 PCDF and PCDF in environment resulting from outdoor waste burning, 1025 PCDF and PCDD in environmental

samples, pattern analysis,

approach to occurrence/source correlation, 609 PCDF and PCDD in hazardous wastes and contaminated soils, laboratory and field tests to demonstrate efficacy of KPEG reagent, 835 PCDF and PCDD in human milk,

interim health risk evaluation, 1107

PCDF and PCDD in human milk, WHO/EURO quality study, 883 PCDF and PCDD in mice and insects from various environments, 759

PCDF and PCDD in municipal incinerator emissions, application of multivariate data analysis, 1935

PCDF and PCDD in selected estuarine sediments, 553 PCDF and PCDD in UK soils, survey

of background, 767 PCDF and PCDD isomers in blood of Vietnam veterans two decades after exposure to agent ornage

isomer specific measurement, 531 PCDF and PCDD, levels in adipose tissue of occupationally exposaed workers, 507

PCDF and PCDD levels in breast milk as correlated with fish

consumption, 455 PCDF and PCFD, levels in food samples collected between 1985-87 in N and S Vietnam, 627

PCDF and PCDD levels in human milk depends on period of lactation,

PCDF and PCDD levels in human milk, dependence of various parameters, 1063

PCDF and PCDD, levels in indoor air of kindergartens, 617 PCDF and PCDD, levels, trends and patterns in Scandinavian environmental samples, 651

PCDF and PCDD mixtures, subchronic

relay toxicity study, 277
PCDF and PCDD, new analytical
protocol for multimedia
characterisation by high
resolution gas chromatography-/high resolution mass

spectrometry, 119 PCDF and PCDD, occurrence and fate in five bleached Kraft pulp and paper mills, 1181

PCDF and PCDD on airborne particles, long range transport, 1283

PCDF and PCDD, post-furnace formation, implications for control, 1051 PCDF and PCDD potential source of

contamination via interaction between sample and packaging material, 891

PCDF and PCDD, selective retention

in mammals, a multiple cause problem, 677
PCDF and PCDD presence in municipal solid wastes and in emissions on combustion, 1457

PCDF and PCXDF, clean-up procedure for rapid detn based on retention on activated carbon AX-21, 1741

PCDF/D isomers, PCB, DDT, DDE and HCB levels in various organs in autopsy tissue from USA patients, 811

PCDF, PCDD and PCB ambient air, assessment of sampling PCDF, PCDD and PCB contamination, PCB disposal facilities, 569 CDF, coplanar PCB and PCDD in

patients with Yusho disease and in Yusho oil, levels, 407 PCDF, elimination and absence of

pharmacokinetic interaction in liver of rat, 665 PCDF/PCDD and chlorinated phenols

in wood preservers for household

use, 861
PCDF/PCDD, combinations, effects
on Sptague-Dawley rats, 283
PCDF/PCDD, de novo synthesis on
fly ash of municipal waste incinerators, 1219

PCDF/PCDD, de-novo synthesis on flyash of municipal waste incinerators, 1219

PCDF/PCDD in pulp and paper industry solid wastes, procedures for measurement, interlaboratory comparison of

methods, 77 PCDF/PCDD, sources and emissions,

PCDF, PCDD PCB, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlordane, levels in human breast milk, 445

polychlorinated monobenzodioxins, monobenzofurans and monobromobenzenes, intermediates in formation of PCDDs and PCDFs during incineration of waste, 1431

pyrolysis of dibenzodioxin, dibenzofuran and 1,2,3,4tetrabromodibenzodioxin with different C1 donors and

catalysts, 1213 selected PCDF, metabolism in rat,

techniques for collection, 177 TCDF and TCDD, retention on various fused silica GC columns,

twentynine halogenated dibenzo-pdioxins and fiftyfive dibenzofurans, prediction of vapor pressures, bioling pts and enthalpies of fusion by vapor pressure correlation method, 783 Furnaces

post-furnace formation of PCDDs and PCDFs, implications for control, 1051

bioavailability of grain and soil-borne tritiated 2,3,7,8-TCDD administered to lactating Holstein cows, 125,1257

Halogenated compounds

4-chloroaniline in soil, reaction with humic acid catechol, 1599 chlorinated paraffins(C12 and C₁₆), selective accumulation in olfactory organ of rainbow trout, 1821

chloroarenes, formation by pyrolysis and slow combustion of benzene-HC1 mixtures, 1965

chlorobenzenes, and permethrins, fate during anaerobic sewage sludge digestion, 1771

chlorophenols, adsorbed on Fe-ion exchanged montmorillonite, formation of hydroxydibenzofurans, 1895

dioxins and simple chloroalkane,

isotopic carbon exchange, 2311 halogenated organic compds in anoxic marine environment, distribution and fate, 2247

hypochlorous acid, reaction with peptides and proteins in presence of ammonium ion, formation of cyanogen chloride, 2101

octachlorostyrene, metabolism in <u>Mytilus edulis</u>, 1573 organo chlorine compds and

bromodiphenyl ethers in livers of Altantic cod, 2131 polychlorinated monomethyl

substituted diphenylmethanes comparison with environmental behaviour and and aquatic toxicity of PCBs, 1367

polyhalogenated dibenzo-p-dioxins, synthesis, 225

tetrachlorbenzyltoluene, bioaccumulation and elimination by rat and by fish, 2051

tetrachlorobenzoquinones as a source of PCDD/PCDF, 789 tris(chlorophenyl)methanol,

identification in blubber of seals, 1799

volatile organochlorine compds. quantitative detn in water by GC headspace analysis with dibromomethane as internal standard, 1425

Halogenation

adsorption and chlorination of naphthalene on fly ash from municiple incinerators, 2193

different chlorination reactions, reactivity of polycyclic

aromatic hydrocarbons, 2201 effect of chlorination pH and C1 dose on mutagenic activity and formation of strong bacterial mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-5(2H)-furanone in water, 1903

micro-scale bromination for synthesis of 2,3,7,8-substituted brominated dibenzodioxins and dibenzofurans from '3C-labelled precursors, 1761

different Cl donors and catalysts, pyrolysis of dibenzodioxin, dibenzofuran and 1,2,3,4tetrabromodibenzodioxin, 1213 effect of chlorination pH and Cl dose on mutagenic activity and formation of strong bacterial mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy 5(2H)-furanone in water, 1903

total organic Cl, leachate from waste landfills, application of headspace analysis and AOX measurement, 1943

Hazard assessment

phenoxy herbicide-exposed farm workers, non-Hodgkin's lymphoma,

Health hazards

2,3,7,8-TCDD, adipose tissue levels in adults in Vietnam

1984-87, 1057
2,3,7,8-TCDD, assessment of exposure in Seveso area, 913

2,3,7,8-TCDD, documentation for occupational exposure limit, 1115

2.3.7.8-TCDD in adipose tissue, elevated body burdens, 431

2,3,7,8-TCDD in serum for Vietnam veteran Agent orange study, detn, analytical methodology and method performance, ranch hand validation and half-life studies and selected NIOSH worker studies, 875

2,3,7,8-TCDD, occcupationally exposed workers, assessment of immune system, quality control in cross-sectional

epidemiological study, 867 adipose tissue of occupationally exposed workers, levels of PCDDs and PCDFs, 507 adipose tissues, levels of

2,3,7,8-TCDD in persons of no known exposure and in exposed persons, 499 analytical methods and exposure

assessment of dioxins and

furans, 17
birth defects, hydatidiform mole
and fetal death in utero bewteen
1952 and 1985 in hospital in Vietnem, 805 dioxin and dibenzofuran congeners,

correlation of adipose and blood levels in agent orange exposed Vietnam veterans, 517 dioxin from municipal waste

incineration and background environmetal contamination, comparison of human exposure,

dioxin in paper mill sludge used to reclaim abandoned Appalachian coal mines, potential risk from exposure, 1131 dioxin, dose response assessment,

human exposure to PCBs and PCDFs, increased SCE frequencies in lymphocytes when incubated with a-naphthoflavone due to metabolic activation by P-450 isozymes, 687

indoor air pollution by dioxins in day nurseries, risk assessment and management, 1139

indoor environment, benzo(A)pyrene levels from kerosene heaters and wood-burning fireplaces, 1829

lake Ontario salmonids, CDDs, CDFs and PCBs in, relative toxicity to mammalian systems using toxic equivalent factors, 1413

methylsulphonyl polychlorinated biphenyls, inhibitory effect on aryl hydrocarbon hydroxylase activity, 701

Missouri dioxin problem, key factor, overcoming chemophobia, 1177 o-xylene, biological monitoring after exposure in Man, detn of urinary excretion products, 1513 PCB, DDT, DDE and HCB and PCDD/F isomer levels in various organs in autopsy tissue from USA patients, 811 PCDDs and PCDFs, blood and adipose tissue levels over 3 years in

patient after exposure, 635
PCDD and PCDF body burden from
food intake, 417
PCDDs and PCDFs in human milk,

interim health risk evaluation, 1107

PCDD/PCDF and chlorinated phenols in wood preservers for household use, 861

reproductive abnormalities in women inhabiting herbicide sprayed and non-herbicide sprayed areas, 843

risk assessment and sources of PCDDs and PCDFs concentrations in ambient air, 1713 Vietnam veterans two decades after

exposure to agent ornage, measurement of PCDD and PCDF isomers in blood, 531

Herbicides

acidic-, volatilisation and
dissipation from soil under controlled conditions, 2363

atrazine and molinate, water supply contamination, report, 2339

bentazon, photocatalytic degradation by TiO2 particles, 1437

chlortoluron levels and selectivity in wheat cultivars, 1673

closed plant in Germany, analytical program for risk assessment, 903 closed plant, soil and ground

water beneath, case study and decontamination steps, 1163 dichloprop, mineralisation and

side effects in soil dependent on organic C-content, 1447 elevated levels of 2,3,7,8-TCDD in

tissue of sprayer, single case study, 469

phenoxy acid-, use in Sweden, 391 phenoxy-, exposed farm workers, non-Hodgkin's lymphoma, 401 phenoxy-, including faces

phenoxy-, including Agent orange and 2,3,7,8-TCDD, women giving birth to deformed babies and those with hyatidiform mole, estimate of differences seen at OB-GYN hospital in Vietnam, 801

prometryn, repeated treatment of soil, fate of 'C residues, 2155 sprayed and non-herbicide sprayed areas, reproductive abnormalities in women, 843

insect growth regulator, methoprene, detn in natural waters by capillary gas-liquid chromatography, 2275

Humic substances

extracted with dipolar aprotic sovents, FT-IR spectra, 1927 humic acid catechol, reaction with soil 4-chloroaniline, 1599

Hydrocarbons

aliphatic and aromatic-, vertical distribution in mussels from offshore oil production platform, 1809

alkylbenzenes and water vapors, competitive adsorption on

predominantly mineral surfaces,

chlorinated aromatic-, detn in fly ash by capillary gas chromatography and mass selective detection, evaluation of clean-up methods, 1401

chlorinated paraffins(C12 and C₁₆), selective accumulation in olfactory organ of rainbow trout, 1821

chloroarenes, formation by pyrolysis and slow combustion of benzene-HCl mixtures, 1965

chlorobenzenes, and permethrins, fate during anaerobic sewage sludge digestion, 1771

benzo(A)pyrene indoor environment, levels from kerosene heaters and wood-burning fireplaces, 1829 linear alkylbenzene sulphonate

degradation in lake water, effect of microbial population size, 1589 naphthalene, adsorption and chlorination on fly ash from

municiple incinerators, 2193

naphthalene sorption by soil from aqueous soln, dynamic studies,

o-xylene, biological monitoring after exposure in Man, detn of urinary excretion products, 1513 p-cymene, chlorination by Cl in

CC1, model compds for environmental analyses, 1921 polychlorinated monomethyl

substituted diphenylmethanes, comparison with environmental behaviour and and aquatic toxicity of PCBs, 1367 polycyclic aromatic-, reactivity

in different chlorination reactions, 2201

tetrachlorbenzyltoluene, bioaccumulation and elimination by rat and by fish, 2051

tris(chlorophenyl)methanol identification in blubber of seals, 1799

Hydrophobicity

arylcarbamate, phenylurea and anilide pesticides in soil and model organic adsorbents, relation between structure and adsorption, 1871

Incinerators

and ambient air testing for CDDs and CDFs by low resolution mass

spectrometry, 585 dioxin, advances in risk management control technologies,

dioxin removal in "energy from waste plants" comparison of air pollution control methods, 1731

fluidised bed-, formation and decomposition of dioxins and related compds, 321

fly ash from-, adsorption and chlorination of naphthalene, 2193

fly ash from-, application of multivariate analysis to detn of PCBs. 2213

full scale rotary-kilndecontamination of 2,3,7,8-TCDD in soil, 355 incineration of waste, formation

of polychlorinated monobenzodioxins, monobenzo-furans and monobromobenzenes as intermediates in formation of PCDDs and PCDFs, 1431

municipal-, analysis of fly ash for bromo- and bromochlorodioxins, dibenzofurans and

related compds, 193 municipal-, emissions, interlaboratory validation of PCDD and PCDF concentrations,

municipal-, PCDDs and PCDFs in emissions, application of multivariate data analysis, 1935 municipal waste-, and background environmetal contamination from

dioxin, comparison of human exposure, 643

municiple waste-, evaluation and comparison of emission and immision of organic and inorganic compds, 2263 municipal waste-, PCDDs and PCDFs,

1785

municipal waste-, PCDDs and PCDFs in dust of ambient atmosphere,

municipal waste-, PCDD/PCDF, de-novo synthesis on flyash, 1219 PCDDs, destruction, correlation of incineration parameters, 1485 PCDD/PCDF food chain contamination assessment, critical factors, 1123

PCDD/PCDF, sources and emissions,

waste-, chlorinated dibenzo-pdioxin and dibenzofuran concentration in soil, 851

Industry
bleached pulp and paper mills,
 occurrence and fate of PCDDs and
PCDFs, 1181

Cd, effect on feeding behaviour of Cladoceran macrocopa, 1681 closed herbicide plant in Germany,

analytical program for risk assessment, 903 five bleached Kraft pulp and paper mills, occurrence and fate of PCDDs and PCDFs, 1181

sources of PCDD/PCDFs, phthalocyanine dyes, 1207

offshore oil production platform, vertical distribution of aliphatic and aromatic hydrocarbons, in mussels, 1809 PCB, PCDD and PCDF contamination,

PCB disposal facilities, 569 PCDD/PCDF, sources and emissions,

phthalate esters in surface water and suspended particulate matter, trace level analysis by capillary gas chromatography with electron capture and mass selective detection, 2161 pulp and paper mills, CDDs and

CDFs in effluents and sludge,

soil mobility and mineralisation of nitroguanidine and guanidine nitrate, 2389

soils and sediments from industrial sites, quantitation of TCDD by GC/MS and GC/MS/MS techniques, 163

waste water, clays for removal and disposal of chlorinated dioxins and other pollutants, 333

Ion exchangers
Fe-ion exchanged montmorillonite, adsorbed chlorophenols, formation of hydroxydi-benzofurans, 1895

Impune system

abnormalities in Rhesus monkeys associated with chronic TCDD exposure, 313

quality control in cross-sectional epidemiological study, 2,3,7,8-TCDD, occcupatrionally exposed workers, 867

Insecticides

carbafuran and its degradation products, effect on soil respiration and microbial

numbers, 2345 DDT, DDE and DDD detn of serum levels, single step extraction

and cleanup procedure, 2985
PCB, DDT, DDE and HCB and PCDD/F
isomer levels in various organs
in autopsy tissue from USA patients, 811

PCBs and DDT, analysis for in

white suckers, 2065 PCDDs, PCDFs PCBs, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlordane, levels in human breast milk, 445 permethrins and chlorobenzenes,

fate during anaerobic sewage

sludge digestion, 1771 organophosphorus-, Salmomella mutagenicities comparative study, 2413

Insects

and mice from various environments, level of PCDD and PCDF, 759

Culex pipiens, metabolism of diallyl sulphide, insecticidal principle of garlic, 1525

growth regulator, methoprene, detn in natural waters by capillary gas-liquid chromatography, 2275

Isotopic labelling

C-labelled precursors, microscale bromination for synthesis of 2,3,7,8-substituted brominated dibenzodioxins and dibenzofurans, 1761 chlorinated paraffins(C₁₂ and C_{16}), selective accumulation in olfactory organ of rainbow trout, 1821

Kinetics

interaction between 2,3,7,8-TCDD and Ah receptor protein, 731 soil, naphthalene sorption from aqueous soln, dynamic studies,

Leaching

leachate from waste landfills. application of headspace analysis and AOX measurement, 1943

tree damage, causes, 1855

Metabolism
1°C 2,4,6-trichlorophenol in soil, 2383 diallyl sulphide by Culex pipiens,

o-xylene, biological monitoring after exposure in Man, detn of urinary exerction products, 1513

octachlorostyrene in Mytilus

edulis, 1573
PCRs, posssible involvement of frontier electrons, 1955
selected PCDFs in rat, 259 two stage hepatocarcinogenesis model in rats, TCDD effect of TCDD on estradiol metabolism and

enzyme altered foci, 695 Metals and non metals and their compounds

borohydride enhanced

photoreactions of chlorodibenzodioxins, 329 butyltins in sediments, 2043 Cd, effect on feeding behaviour of Cd,Cu,Pb and Zn, pollution along Atlantic coast from Marocco,

Cs,Zn, Sr, Co, Cd,Ce, Ru, Tc and I, distribution coeffs and fluctuations, association between in upper two horizons of Podzol forest soil, 2109

Fe-ion exchanged montmorillonite, adsorbed chlorophenols, formation of

hydroxydibenzofurans, 1895 iron complexes of NTA, EDTA and DTPA, aqueous photolysis, 1805

levels of Al,Mm,Fe,Cu,Zn,Cd and Hg in Vaccinium myrtillus growing in tilled and untilled forest, effect of soil preparation, 1581

production processes for Mg and refined Ni, formation of PCDDs and PCDFs, 1379 struvite formation by bacteria,

effect of pH, 1633 sulphur deposition, element composition and acid deposition

of pine tree rings, 1913

TiO₂ particles, photocatalytic degradation of bentazon, 1437 tributyltin in environment, sources and fate, assessment of present status and research needs, 2015

Microorganisms

bacteria, struvite formation, effect of pH, 1633 ivermectin use, environmental fate and effects, 1543

microbial population size, effect on degradation of linear alkylbenzene sulphonate in lake water, 1589

mineralisation and side effects of dichloprop in soil dependent on organic C-content, 1447 phototoxicity of synthetic thiophene derivs to

microorganisms compared with naturally occurring a-terthienyl, 2317

Salmomella, mutagenicities of organophosphorus insecticides, comparative study, 2413 soil respiration and microbial

numbers, effect of carbafuran and its degradation products, 2345

soil-, Ames mutagenicity assay, 1657

toxicity of selected N-containing aromatic compds in <u>Tetrahymena</u> <u>pyriformis</u> and <u>Pimephales</u> <u>promelas</u> test systems, 2283

Minerisation

and side effects of dichloprop in soil dependent on organic C content, 1447

Models

estradiol-, and enzyme altered foci in a two stage hepatocarcinogenesis model, effect of

TCDD in in rats, 695 description, TCDD distribution on all territory around Seveso and time dependence of its parameters, 921

physiologically-based pharmacokinetic model, 2,3,7,8-TCDD, 659

QWASI fugacity-, application to dynamics of organic and inorganic chemicals in lakes,

Molecular geometry molecular geometry/toxicity of TCDDs, correlations by Fourier transform IR spectroscopy, 981

M.O.Calculations
computational study using MMP2
force field method for dioxin derivs, 1005

Mutagenicity

activity and formation of strong bacterial mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-5(2H)-furanone in water, effect of chlorination pH and Cl dose,

Ames assay, soils, 1657 bioassays applied to evaluating land, 2423

organophosphorus insecticides. comparative study in Salmomella,

Mutagens
3-1°C-3-chloro-4-(dichloromethyl)5-hydroxy-2(5H)-furanone, synthesis and use in tissue distribution study in rat, 2229 3-chloro-4-(dichloromethyl)-5-

hydroxy-2(5H)-furanone and E-2chloro-2-(dichloromethyl)-4-oxo-butenoic acid, chemical stability, 2237

Nitrogen fixation

nmonification and nitrification of soil, effect of urea-pesticide combinations, 2329

liver DNA alterations by 2,3,7,8-TCDD and 1,2,3,7,8-pentachlor-odibenzo-p-dioxin in female rat,

crude-, residues, fate in sediments, 2093 offshore-, production platform, vertical distribution of aliphatic and aromatic hydrocarbons in mussels, 1809

Paper bleached pulp and paper mills, occurrence and fate of PCDDs and PCDFs, 1181

paper mill sludge used to reclaim abandoned Appalachian coal mines, potential risk from exposure to dioxin, 1131

pulp and paper industry solid
 wastes, procedures for
 measurement of PCDDs/PCDFs, interlaboratory comparison of methods, 77

pulp and paper mills, CDDs and CDFs in effluents and sludge, 1189

separating procedures for isolation of 2,3,7,8-TCDD and 2,3,7,8-TCDF from chemicallycomplex aqueous and solid matrices and quantitation at PPQ to PPT concentrations, 93

Partition coeffs

n-octanol/water-, and aqueous solubility correlations, 1837 n-octanol/water-, and water solubility of chemicals, evaluation of procedure for measurement, result of ring

test, 1749 octanol/water and air/water,, parameters for prediction of organochlorine pesticides in environment, 1987

Pesticides

applicators, risk of soft tissue sarcoma, Hodgkin's disease and non-hodgkin pymphoma, 395

arylcarbamate, phenylurea and anilide-, in soil and model organic adsorbents, relation between structure and

adsorption, 1871
diallyl sulphide, insecticidal
principle of garlic,
environmental persistence and
metabolism in Culex pipiens,

dissipation from soil and vapor decline in air, models for

estimation, 2375 halogenated-, volatilisation and dissipation from soil under

controlled conditions, 2353 linuron, pyrolysis, 1017 organochlorine-, in environment, parameters for prediction, octanol/water and air/water

partition coeffs, 1987 PCDDs, PCDFs PCBs, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and

oxychlordane, levels in human breast milk, 445 pendimethalin, photodegradation in solvents and in Kalyani soil,

urea-, combinations, effect on ammonification and nitrification of soil, 2329

effect of chlorination pH and Cl dose on mutagenic activity and formation of strong bacterial mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-5(2H)-furanone in water, 1903

effect on adsorption of dyecontaining effluents with different bentonites, 1707 effect on struvite formation by

bacteria, 1633

Phramacokinetics

interaction in liver of rat, PCDFs, elimination and absence, 665

mice, physiologically-based pharmacokinetic model for 2,3,7,8-TCDD, 659

Phenols
1°C 2,4,6-trichlorophenol residues and metabolism in soil, 2383 2-biphenylol, photochemistry in

acidic aqueous soln, 1391 chlorinated-, and PCDD/PCDF in wood preservers for household use, 861

chlorophenols, adsorbed on Fe-ion exchanged montmorillonite, formation of hydroxydibenzofurans, 1895

nitrated-, concentration levels in conifer needles, 2433 humic acid catechol, reaction with

soil 4-chloroaniline, 1599

Photochemistry 2-biphenylol in acidic aqueous soln, 1391

aqueous photolysis of iron complexes of NTA, EDTA and DTPA,

bentazon, photocatalytic degradation by TiO2 particles, hydride-enhanced photoreaction of chlorodibenzodioxins, 329

photodegradation of pendimethalin in solvents and in Kalyani soil,

photoinduced loss of vapour phase

TCDD, 1275 photolysis of octachlorodibenzo-pdioxin on soils, production of 2,3,7,8-TCDD, 1265

toxicity of synthetic thiophene derivs to microorganisms

compared with naturally occurring a-terthienyl, 2317
UV-irradiation of tryptophan yields AHH-inducing compds with high affinity for Ah receptor,

Physical properties sorbate-organic matter interactions, effect on sorption nonequilibrium, 1691

twentynine halogenated dibenzo-p-dioxins and fiftyfive dibenzofurans, prediction of vapor pressures, bioling pts and enthalpies of fusion by vapor pressure correlation method, 783

Plants

Chenopodium album and Spinacia oleracea, inside leaf fragments, distribution of phenmedipham and other biscarbamates, 2077 confer biscarbamates, 2077
conifer needles, concentration
levels of nitrated phenols, 2433
pine tree rings, acid deposition
and element composition, 1913
plant uptake of 2,3,7,8-TCDD from
soil and potential influences of
bioavailability, 1313

spruce needles, thermal

degradation products, 1855
tree damage, causes, 1855
Vaccinium myrtillus growing in
tilled and untilled forest, effect of soil preparation on levels of Al,Mn,Fe,Cu,Zn,Cd and

Hg, 1581 wheat cultivars, chlortoluron levels and selectivity, 1673

Plasicisers

phthalate esters in surface water and suspended particulate matter, trace level analysis by capillary gas chromatography with electron capture and mass selective detection, 2161

Cd,Cu,Pb and Zn, Atlantic coast line from Marocco, 1639 CDs and other pollutants, clays for removal and disposal from industrial waste water, 333 emissions of CDDs and CDFs from

stacks of municipal waste combustors, regulatory analysis,

Pollution

dioxin removal in "energy from waste plants" comparison of air pollution control methods, 1731 indoor air-, by dioxins in day nurseries, risk assessment and management, 1139 PCDD and PCDF in mice and insects from various environments, 759

refuse dump site, Volgermeerpolder, further development of remedial action, 1155

high impact polystyrene, comparative toxicity of combustion products with and without decabromodiphenyloxide/antimony trioxide as flame retardant using 1,2,7,8-TBDD and 2,3,7,8-TBDF as positive controls, preliminary report, 1243

vinylidene chloride-, thermal decomp, formation of chlorodibenzofurans, 1737

comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyl oxide/antimony trioxide as flame repartdant using 2,3,7,8-tetrabromodibenzop-dioxin and 2,3,7,8tetrabromodibenzofuran as positive controlsm, 1243 environmental reference materials program, dioxin performance

Proteins

2,3,7,8-TCDD and Ah receptor protein, kinetics of interaction, 731

evaluation materials, 169

and peptides, reaction with hypochlorous acid in presence of ammonium ion, formation of

cyanogen chloride, 2101 live microsomal proteins, two-dimensional gel electrophoresis, 2,3,7,8-TCDD, 3-methyl-cholanthrene and phenobarbital treated rats, 947

Pyrolysis
and GC/MS analysis in on-line
operation of brominated flame
retardants, 1047

and slow combustion of benzene-HCl mixtures, formation of chloroarenes, 1965

decomp curves of dibenzodioxins by scanned tube pyrolysis with on-line ion trap MS detection, 1017 decomp of vinylidene chloride polymer, formation of

polymer, formation of chlorodibenzofurans, 1737 degradation products of spruce needles, 1855 dibenzodioxin, dibenzofuran and 1,2,3,4-TBDD with different C1 donors and catalysts, 1213 experiments, environmental behaviour of monomethyl-substituted diphenylmethanes

substituted diphenylmethanes compared with PCBs, 1199 PCDDs, destruction, correlation of incineration parameters, 1485

pyrolysed flame retardant mixtures, applications of <u>in</u>
<u>vitro</u> AHH induction bioassay for detn of 2,3,7,8-TCDD equivalents, 383

pyrolysed transformer oil samples, comparison of analytical methods for chlorinated dioxin/-

dibenzofuran, 1093 temps of-, isotopic carbon exchange between dioxins and simple chloroalkane, 2311

KPEG-, laboratory and field tests to demonstrate efficacy for PCDD and PCDF in hazardous wastes and contaminated soils, 835

Radiosynthesis

mutagen 3-1°C-3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, synthesis and use in tissue distribution study in rat, 2229

Rain tributyltin in environment, sources and fate, assessment of present status and research needs, 2015

2,3,7,8-TCDD and progesterone, comparative effects on estrogenic responses in rats, 745

Ah-, high affinity AHH-inducing compds via UV-irradiation of tryptophan, 1101 decreased hepatic cytosolic

glucocorticoid receptor binding in rodents treated with 2,3,7,8-TCDD, 737

receptor binding characteristics, 2,3,7,8-substituted PCDF radioligands, 1089

Refuse dump

site at Volgermeerpolder, further development of remedial action,

Risk assessment 2,3,7,8-TCDD, assessment of exposure in Seveso area, 913 advances in management control technologies, 41

and health assessment and sources of PCDDs and PCDFs concentrations in ambient air, 1713

assessment and management, indoor air pollution by dioxins in day nurseries, 1139 assessment, closed herbicide plant

in Germany, analytical program, 903

characterisation, 1331

characterisation for CDDs and CDFs, 33 dioxin, risk management

considerations, 57 interim health risk evaluation, PCDDs and PCDFs in human milk, 1107

management considerations, 1337 pesticide applicators, risk of soft tissue sarcoma, Hodgkin's disease and non-hodgkin

pymphoma, 395 potential-, from exposure to dioxin in paper mill sludge used to reclaim abandoned Appalachian coal mines, 1131

Sediments

and soil and surface wipes, detection of dioxin-like activity using in vitro

bioassay, 793 and soils from industrial sites, quantitation of TCDD by GC/MS and GC/MS/MS techniques, 163

and water and biota in harbours and lakes, distribution of polychlorinated biphenyls, 2141 butyltins in-, 2043 fate of crude oil residues, 2093

marine-, and dredge spoils, evaluation of toxocity with microtox bioassay, 2069 quantifying scrption of organic

chemicals, 1883

QWASI fugasity model, application to dynamics of organic and inorganic chemicals in lakes,

river-, chlorinated dioxin and dibenzofuran levels, 831 selected estuarine-, PCDDs and

PCDFs, 553

anaerobic sludge digestion, fate of chlorobenzenes and permethrins, 1771

and pulp from paper mills, CDDs and CDFs in, 1189

Soil

1°C 2,4,6-trichlorophenol residues and metabolism, 2383
4-chloroaniline, reaction with

humic acid catechol, 1599 adsorption of organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and energetics, 2177

Ames mutagenicity assay, 1657 ammonification and nitrification, effect of urea-pesticide combinations, 2329

and ground water beneath, closed herbicide plant, case study and decontamination steps, 1163

and model organic adsorbents, relation between structure and adsorption of arylcarbamate, phenylurea and anilide pesticides, 1871

and sediments from industrial sites, quantitation of TCDD by GC/MS and GC/MS/MS techniques,

bioavailability of grain and soil-borne tritiated 2,3,7,8-TCDD administered to lactate Holstein cows, 1257

concentration of chlorinated dibenzo-p-dioxins and dibenzofurans in vicinity of waste incinerator, 851

contaminated-, and hazardous wastes PCDD and PCDF, laboratory and field tests to demonstrate

efficacy of KPEG reagent, 835 contaminated, dioxin bioavailability to animals, analytical assessment, 925 decontamination of 2,3,7,8-TCDD by

full scale rotary-kiln

incinerator, 355 geograpical conditions, scil movement and other variables, effects on distribution of 2,3,7,8-TCDD in adipose tissues from Vietnam, 967 grain- and soil-borne tritiated

2,3,7,8-TCDD, bioavailability when administered to lactating

cows, 125,1257 in Kalyani-, and in solvents, photodegradation of

pendimethalin, 1611 in UK, PCDDs and PCDFs, survey of background, 767

ivermectin environmental safety, an overview, 1565

ivermectin use, environmental fate
 and effects, 1543
mineralisation and side effects of

dichloprop dependent on organic C-content, 1447 mobility and mineralisation of

nitroguanidine and guanidine nitrate, 2389

municiple solid waste incinerator, evaluation and comparison of emission and immision of organic and inorganic compds, 2263

mutagenicity bioassays applied to evaluating land, 2423 naphthalene sorption from aqueous

soln, dynamic studies, 2399 octachlorodibenzo-p-dioxin on soils, photolysis, production of 2,3,7,8-TCDD, 1265

pesticide dissipation and vapor decline in air, models for estimation, 2375 photolysis of octachlorodibenzo-p-

dioxin on soils, production of 2,3,7,8-TCDD, 1265
plant uptake of 2,3,7,8-TCDD from soil and potential influences of bioavailability, 1313

Podzol forest-, upper two horizons, association between distribution coeffs and fluctuations of Cs,Zn, Sr, Co, Cd,Ce, Ru, Tc and I, 2109

preparation, effect on levels of Al,Mn,Fe,Cu,Zn,Cd and Hg in Vaccinium myrtillus growing in tilled and untilled forest, 1581 preparation for estimation of

adsorption coeffs of organic chemicals, 1495

repeated treatment with prometryn, fate of '*C residues, 2155 respiration and microbial numbers,

effect of carbafuran and its degradation products, 2345 samples at Seveso, 2,3,7,8-TCDD in, recovery yields of early analyses for detection, 989

TCDD in-, movement and fate, field and laboratory studies, 1297 TCDD in-, parameters affecting tranlocation, 1291

volatilisation and dissipation of acidic herbicides under controlled conditions, 2363

volatilisation and dissipation of halogenated pesticide under controlled conditions, 2353

Welsh-, survey of typical levels of PCBs, 1665

Solubility

aqueous-, and n-octanol/water coeff correlations, 1837 of 2,3,7,8-TCDD, studies using generator column, 933 water-, and n-octanol/water partition coeff of chemicals, evaluation of procedure for measurement, result of ring test, 1749

humic substances extracted with dipolar aprotic sovents, FT-IR spectra, 1927

quantifying-, of organic chemicals in sediments, 1883

rapporteur's comments, 1329

Sterilisation

soil preparation for estimation of adsorption coeffs of organic chemicals, 1495

2,3,7,8-TCDD and progesterone, comparative effects on estrogenic responses in rats, 745

decreased hepatic cytosolic glucocorticoid receptor binding in rodents treated with 2,3,7,8-TCDD, 737

Spectrometry

capillary gas chromatography and mass selective detection, detn of chlorinated aromatic hydrocarbons in fly ash, evaluation of clean-up methods,

GC/MS and GC/MS/MS techniques, quantitation of TCDD in soils and sediments from industrial sites, 163

high resolution gas chromatography/high resolution mass spectrometry, new analytical protocol for

multimedia characterisation of PCDDs and PCDFs, 119 high resolution mass specrometry, detn of PCDDs and PCDFs in

environment, 109

low resolution mass spectrometry, ambient air and incinerator testing for CDDs and CDFs, 585 pyrolysis and GC/MS analysis in

on-line operation of brominated flame retardants, 1047 tandem mass spectrometry, CDDs and CDFs in environment, 155 thermal degradation products of spruce needles, 1855

Spectroscopy
Fourier transform IR spectroscopy, molecular geometry/toxicity correlations of TCDDs, 981

FT-IR spectra, humic substances extracted with dipolar aprotic sovents, 1927

IR spectroscopy, application to dioxin analyses of environmental samples, 897

UV-irradiation of tryptophan yields AHH-inducing compds with high affinity for Ah receptor,

Sulphur compounds

diallyl sulphide, insecticidal principle of garlic, environmental persistence and metabolism in <u>Culex pipiens</u>, 1525

dibenzothiophene and alkylated dibenothiophene in crude oil

residues, 2093 diethylamine, detn in air using diffusive sampling and thiourea formation, high performance liquid chromatography, 2121

polychlorinated biphenyl methylsulphone congeners in human tissues, identification of methylsulphonyl dichlorobiphenyls, 477

synthetic thiophenes and their acetylenic derivs, UV-mediated antibiotic activity, 2317

Techni ques

control technology, rapporteur's comments, 1333

dioxin, advances in risk management control technologies,

dioxin contaminated waste, detoxification using potassium polyethylene glycolate, 343 GC/MS techniques to measure

2,3,7,8-TCDD in ambient air, 141 LFER, sorbate-organic matter

interactions, effect on sorption nonequilibrium, 1691 sampling-, for collection of PCDD, PCDF and PCB in ambient air, assessment, 177 scanned tube pyrolysis with on-

line ion trap MS detection, thermal decomposition curves of dibenzodioxins, 1017 trace level analysis by capillary

gas chromatography with electron capture and mass selective detection of phthalate esters in surface water and suspended particulate matter, 2161

twentynine halogenated dibenzo-p-dioxins and fiftyfive dibenzofurans, prediction of vapor pressures, bioling pts and enthalpies of fusion by vapor pressure correlation method, 783 water solubility and n-

octanol/water partition coeff of chemicals, evaluation of

procedure for measurement, result of ring test, 1749

Thermal reactions see Pyrolysis

Tissues, Tissue fluids and Body

organs 2,3,7,8-TCDD, induction of hepatic monooxygenase system, reexamination of dose response

relationship, 363 adipose and blood levels of dioxin and dibenzofuran congeners, correlation in agent orange exposed Vietnam veterans, 517

adipose tissue, elevated body burdens of 2,3,7,8-TCDD, 431 adipose tissue from Vietnam, 2,3,7,8-TCDD in, effects of geograpical conditions, soil movement and other variables on

distribution, 967 adipose tissue levels of 2,3,7,8-TCDD in adults in Vietnam 1984-87, 1057

adipose tissue, levels of 2,3,7,8-TCDD in persons of no known exposure and in exposed persons,

adipos€ tissue of occupationally exposaed workers, levels of PCDDs and PCDFs, 507 blood and adipose tissue levels

over 3 years in patient after exposure to PCDDs and PCDFs, 635 blood levels of 2,3,7,8-TCDD and

related compds, effects of fasting, 525 blood of Vietnam veterans two

decades after exposure to agent ornage, measurement of PCDD and PCDF isomers, 531

blubber of seals, identification of tris(chlorophenyl)methanol,

breast milk, levels of PCDD and PCDF as correlated with fish consumption, 455 embryotoxicity, TCDD-induced in

rats, due to maternal toxicity?

epidermal Langerhans cells in mouse skin, increase after TCDD treatment, 253 human fat and liver samples, concentrations of PCDD and PCDF,

human milk, chlorinated dioxins and dibenzofurans in people from Japan, India and USA, 975

human milk, levels of PCDDs, PCDFs PCBs, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlordane, 445 human milk, PCDD and PCDF levels depend on period of lactation, 439 human milk, PCDDs and PCDFs,

interim health risk evaluation, 1107

human milk, PCDDs and PCDFs, WHO/EURO quality study, 883 human milk,PCDD and PCDF levels,

dependence on various parameters, 1063 human serum, 2,3,7,8-TCDD measurement, quality assurance program for large-scale study,

1009 human tissues, polychlorinated biphenyl methylsulphone congeners, identification of methylsulphonyl dichlorobiphenyls, 477

liver DNA alterations by 2,3,7,8-TCDD and 1,2,3,7,8-pentachlorodibenzo-p-dioxin in female rat, 681

liver of Altantic cod, presence of organo chlorine compds and bromodiphenyl ethers, 2131 liver, of male rat OCDD exposure,

subchronic effects, 389 liver of rat, benzpyrene-hydroxylase induction, dynamic comparison of 2,3,7,8-TCDD and 3-methylcholanthrene, 723

3-methylcholanthrene, 723
liver of rat, pharmacokinetic
interaction, elimination and
absence of PCDFs,665
lymphocytes, increased SCE
frequencies in humans exposed to

PCBs and PCDFs, incubation with α-naphthoflavone due to metabolic activation by P-450 isozymes, 687

olfactory organ of rainbow trout, selective accumulation of chlorinated paraffins(C12 and

C1.6), 1821

parenchymal and non-parenchymal

rat hepatic cells, 1 C-2,3,7,8
TCDD distribution between, effect of vitamin A content of these cells, 307 serum, 2,3,7,8-TCDD in for Vietnam

veteran Agent orange study, detn, analytical methodology and method performance, ranch hand validation and half-life studies and selected NIOSH worker

studies, 875 serum, basis for measurment of

2,3,7,8-TCDD, 425 serum levels of DDT, DDE and DDD, single step extraction and cleanup procedure, 2985 thymus weight and live enzym

induction, rats perinatally dosed with 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF and 1,2,3,7,8-PeCDD, measurement of relative

toxicity, 955 tissue distribution study in rat, synthesis and use of mutagen 3-1°C-3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)-furanone, 2229

tissue of herbicide sprayer, 2,3,7,8-TCDD elevated levels, single case study, 469

various organs in autopsy tissue from USA patients, PCB, DDT, DDE and HCB and PCDD/F isomer levels, 811

waste oil, soil and biological tissue samples in PCDDs and PCDFs, detn by simple clean-up procedures, 69

Yusho disease, levels of PCDDs, coplanar PCBs and PCDFs in patients and in Yusho oil, 407

Toxicity

2,3,7,8-TCDD at 5 or 25 ppt, chronic dietary intake of monkeys, TCDD kinetic and dose effect estimate of reproductive

toxicity, 243 2,3,7,8-TCDD toxic equivalents, validation of AHH induction bioassay for the detn, 941

aquatic toxicity and environmental behaviour of PCBs, comparison with polychlorinated monomethyl substituted diphenylmethanes, 1367

comparative-, of combustion products of high impact polystyrene with and without decabromodiphenyl oxide/antimony trioxide as flame repartdant using 2,3,7,8-tetrabromodibenzop-dioxin and 2,3,7,8tetrabromodibenzofuran as

positive controlsm, 1243 dioxin, dose response assessment,

embryotoxicity, TCDD-induced in rats, due to maternal toxicity?

equivalence factors for CDDs and CDFs, reexamination of data

used, 371
evaluation of by-products of
dechlorinated 2,3,7,8-TCDD, 2293
ivermectin use, environmental fate
and effects, 1543
molecular geometry/toxicity of

TCDDs, correlations by Fourier transform IR spectroscopy, 981 of marine sediments and dredge

spoils, evaluation with microtox

bioassay, 2069 relative-, of 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF and 1,2,3,7,8-PeCDD measured by thymus weight and live enzyme induction in

perinatally dosed rats, 955 relative-, of CDDs, CDFs and PCBs in lake Ontario salmonids to mammalian systems using toxic equivalent factors, 1413 selected N-containing aromatic

compds in Tetrahymena pyriformis and Pimephales promelas test systems, 2283 subchronic-, in rats of chlorinated dibenzofurans, 265

subchronic relay-, study of PCDD

and PCDF mixtures, 277 toxic significance of planar aromatic compds in Baltic ecosystem, new studies on extremely toxic coplanar PCBs, 1067

views of 2,3,7,8-TCDD, 33

Transformers

pyrolysed transformer oil samples, comparison of analytical methods for chlorinated dioxin/dibenzofuran, 1093

Translocation/migration

TCDD in soil, movement and fate, field and laboratory studies, 1297 TCDD in soil, parameters affecting translocation, 1291 translocation of TCDD in soil, affecting parameters, 1291

Transport

long range transport of airborne particles of PCDDs and PCDFs, 1283

PCDDs and PCDFs on airborne particles, long-range transport, 1283

rapporteur's comments, 1329 TCDD-, at Times beach and at Eglin AFB, rate comparison, 1305

vitamin A content of cells, effect on 1°C-2,3,7,8-TCDD, distribution between parenchymal and non-parenchymal rat hepatic cells, 307

vitamin A homeostasis and 7-ethoxyresorufin O-deethylase activity, 2,3,7,8-TCDD-induced changes in Sprague-Dawley rats and Hartley guinea pigs, 299

Volatile compds

adsorption of organic compds on anhydrous and hydrated sorbents, equilibrium adsorption and energetics, 2177

anoxic marine environment, distribution and fate of halogenated organic compds, 2247 leachate from waste landfills,

application of headspace analysis and AOX measurement,

pesticide dissipation from soil and vapor decline in air, models for estimation, 2375 photoinduced loss of vapour phase

TCDD, 1275

TCDD in soil, movement and fate, field and laboratory studies,

volatilisation and dissipation of acidic herbicides from soil under controlled conditions,

volatilisation and dissipation of halogenated pesticide from soil under controlled conditions,

CDDs and CDFs, in surface water near chemical dump sites, analysis using aqueous phase liquid extractor, 133

concentration of chlorinated dibenzo-p-dioxins and dibenzofurans in vicinity of waste incinerator, 851

dioxin contaminated-, detoxification using potassium

polyethylene glycolate, 343 dioxin removal in "energy from waste plants" comparison of air pollution control methods, 1731 dioxin, advances in risk

management control technologies,

dioxins and related compds, formation and decomposition in fluidised bed incinerators, 321

hazardous-, and contaminated soils, PCDD and PCDF, laboratory and field tests to demonstrate efficacy of KPEG reagent, 835

incineration of-, formation of polychlorinated monobenzodioxins, monobenzofurans and monobromobenzenes as intermediates in formation of

PCDDs and PCDFs, 1431 leachate from landfill-, application of headspace analysis and AOX measurement, 1943

municipal solid-, combustion, PCDD and PCDF in emissions and in stack gases, 1465 municipal solid-, combustion, PCDD and PCDF in emissions and in fly

ash. 1475

municipal-, combustors, CDDs and CDFs from stacks, regulatory analysis of pollutant emissions,

municipal-, incineration and background environmetal contamination from dioxin, comparison of human exposure,

municipal-, incineration, PCDDs

and PCDFs, 1785
municipal-, incinerators, de-novo
synthesis of PCDD/PCDF on

flyash, 1219
municipal-, incinerators,
PCDD/PCDF, de novo synthesis on
fly ash, 1219
municiple solid-, incinerator,

evaluation and comparison of emission and immision of organic and inorganic compds, 2263 outdoor burning of-, PCDDs and

PCDFs in environment 1025 PCB, PCDD and PCDF contamination, PCB disposal facilities, 569 PCDDs and PCDFs in waste oil, soil

and biological tissue samples,

detn by simple clean-up procedures, 69 separating procedures for isolation of 2,3,7,8-TCDD and 2,3,7,8-TCDF from chemicallycomplex aqueous and solid matrices and quantitation at PPQ to PPT concentrations, 93

alkylbenzenes and water vapors, competitive adsorption on predominantly mineral surfaces, and sediment and biota in

harbours and lakes, distribution of polychlorinated biphenyls, 2141

ground-, and soil beneath closed herbicide plant, case study and

decontamination steps, 1163 industrial waste-, clays for removal and disposal of chlorinated dioxins and other

pollutants, 333 phthalate esters in surface water and suspended particulate matter, trace level analysis by capillary gas chromatography with electron capture and mass selective detection, 2161

processed wastewater, detn of 2,3,7,8-TCDD in parts per

quadrillion level, 2257 QWASI fugacity model, application to dynamics of organic and inorganic chemicals in lakes.

solubility and n-octanol/water partition coeff of chemicals, evaluation of procedure for measurement, result of ring test, 1749

supply contamination by atrazine and molinate, report, 2339 surface-, near chemical dump sites, analysis using aqueous


phase liquid extractor, 133

volatile organochlorine compds, quantitative in, detn by GC -headspace analysis with dibromomethane as internal standard, 1425 wastewater, soil mobility and

mineralisation of nitroguanidine and guanidine nitrate, 2389

kerosene heaters and wood-burning fireplaces, levels of benzo(A)pyrene in indoor environment, 1829 preservers for household use,

PCDD/PCDF and chlorinated phenols, 861



AUTHOR INDEX VOL. 18 1989

Abonour R see Hong R. 313 Abrahamsson K. and Klick S. Distribution and fate of halogenated organic substances in an anoxic marine environment

Abramowski Z see Hudson J.B. 2317 Acquafresca G see Funari E. 2339 Adrian P. Lahaniatis E.S. Andreux F. Mansour M. Scheunert I. and Korte F. Reaction of the soil pollutant 4-chloroaniline with the humic acid monomer catechol 1599

Ahlborg U.G see Hakansson H. 299,

Ahlborg U.G. Waern F. Manzoor E. and Hakansson H. Effects of combinations of PCDDs/PCDFs given to sprague-dawley rats 283 Al-Haddad A see Creaser C.S. 767 Albaigés J see Soler M. 1809 Alberti J see Friege H. 1367 Aldous K see Ding W.-H. 1935, see Gierthy J.F. 793 Aldous K.M see O'Keefe P.W. 185, see Smith R.M. 585

Alexander L.R see Patterson D.G., Jr.

875, see Turner W.E. 1009
Amendola G. Barna D. Blosser R.
LaFleur L. McBride A. Thomas F.
Tiernan T. and Whittemore R. The occurrence and fate of PCDDs and PCDFs in five bleached kraft

pulp and paper mills 1181 Andersen M.E see Leung H.-W. 659 Anderson J.E see Andrews J.S., Jr.

Andersson B see Norström A. 1513 Andersson K see Levin J.-0. 2121 Andersson R see Marklund S.

Andreux F see Adrian P. 1599 Andrews J.S., Jr. Garrett W.A., Jr. Patterson D.G., Jr. Needham L.L. Roberts D.W. Bagby J.R. Anderson J.E. Hoffman R.E. and Schramm W. 2,3,7,8-Tetrachlorodibenzo-pdioxin levels in adipose tissue of persons with no known exposure and in exposed persons

Andries M see Thompson C. 687 Ankley G.T. Hoke R.A. Giesy J.P. and Winger P.V. Evaluation of the toxicity of marine sediments and dredge spoils with the Microtox R bioassay 2069

Arca F see Funari E. 2339 Arends I.W.C.E. Born J.G.P. Ophorst W.R. Mulder P. and Louw R. Formation of chloroarenes upon gas-phase pyrolysis and slow combustion of benzene-HC1 mixtures 1965 Arghestani S see Schecter A. 431,

see Tong H.Y. 577
Arvanitoyannis I. Eleftheriadis I. and Tsatsaroni E. Influence of pH on adsorption of dye-containing effluents with different bentonites 1707

Ashmore L.M see Shopp G.M. 867 Autio P see Kuckkanen T. 1921

Backlund P. Wondergem E. Voogd K. and de Jong A. Influence chlorination pH and chlorine dose on the formation of mutagenic activity and the strong bacterial mutagen 3chloro-4-(dichloromethyl)-5hydroxy-5(2H)-furanone (MX) in water 1903

Bagby J.R see Andrews J.S., Jr. 499 Bahnick D see Kuehl D.W. 1997 Baldi M see Funari E. 2339 Ball M see Päpke O. 617

Ball M. Päpke O. Lis Z.A. and Scheunert K. PCDD and PCDF in mice and insects from various environments 759

Ballschmiter K see Swerev M. 609 Banerji A see Ramakrishnan V. 1525 Bangert J.V see Schecter A. 531, 431 Bannister R see Safe S. 709
Barna D see Amendola G. 1181
Barnes D.G see Olson J.R. 371 Barnes D.G. Characterization of the

risks posed by CDDs and CDFs 33 Barnes D.G. Final plenary: risk characterization 1331

Barnhart E.R. and Patterson D.G., Jr. Purification of PCDD synthesis products by reversed-phase liquid chromatography with pyrenylethylsilylated and octadecylsilylated silica gel 827

Barsotti D.A see Bowman R.E. 243 Barua A.S see Halder P. 1611 Bastianetti J see Funari E. 2339
Bauer I. Weber K. Ernst W. and
Weigelt V. Metabolism of octachlorostyrene in the blue mussel (Mytilus edulis) 1573 Beck H. Eckart K. Mathar W. and Wittkowski R. Dependence of PCDD and PCDF levels in human milk on various parameters in the

Federal Republic of Germany 1063 Beck H. Eckart K. Mathar W. and Wittkowski R. Levels of PCDDs and PCDFs in adipose tissue of occupationally exposed workers

Beck H. Eckart K. Mathar W. and Wittkowski R. PCDD and PCDF body burden from food intake in the Federal Republic of Germany 417

Beck J see Stieglitz L. 1219 Beckert W.F see Tondeur Y. 119 Bedi S see Halder P. 1611 Behki R.M see Khan S.U. 2155

Belli G see Ratti S.P. 921, 855 Belli G. Cerlesi S. Kapila S. Ratti S.P. and Yanders A. Geometrical description of the TCDD contamination of Times Beach 1251

Bellin J.S see Olson J.R. 371 Bergman A see Darnerud P.O. 1821 Bergqvist P.-A see Rappe C. 651
Beyerbach M see Heidmahn W.A. 2303
Bhattacharya A see Halder P. 1611
Billets S see Tondeur Y. 119 Bin C see Schmitzer J. 2383

Birnbaum L.S. Couture L.A. and Elwell M.R. Subchronic effects of exposure to octachlorodibenzodioxin (OCDD) 389

Biswas B see Halder P. 1611 Bjerke B see Oehme M. 1379 Bjerle I see Miller H. 1485 Björndal H see Svenson A. 1805 Blosser R see Amendola G. 1181 Bobbie B.A. Clement R.E. and Taguchi

V.Y. Determination of chlorinated dibenzo-o-dioxins (CDD) and dibenzofurans (CDF) in environmental samples by tandem mass spectrometry 155

Boddington M.J. Risk management considerations 57

Boddington M.J. Risk management

considerations - the lessons learnt 1337

Bonati L see Pitea D. 1457, 1465 Borgarello E see Pelizzetti E. 1437 Born J.G.P see Arends I.W.C.E. 1965 Bottimore D.P see Kutz F.W. 753

Boule P see Sarakha M. 1391 Bouraly M. and Millischer R.J. Bioaccumulation and elimination of tetrachlorobenzyltoluene (TCBT) by the rat and by fish

man H. Sydenham E.W. and Schutte C.H.J. Single step extraction and cleanup procedure for deter-mining serum levels of DDT, DDE and DDD 2085

Bowen J.P see Reddy V.V. 1005 Bowman R.E. Schantz S.L. Gross M.L. and Ferguson S.A. Behavioral effects in monkeys exposed to 2,3,7,8-TCDD transmitted maternally during gestation and for four months of nursing 235

man R.E. Schantz S.L. Weerasinghe N.C.A. Gross M.L. and Barsotti D.A. Chronic dietary intake of 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) at 5 or 25 parts per trillion in the monkey: TCDD kinetics and dose-effect estimate of reproductive

toxicity 243

Bozzelli J.W see Dong J.-I. 1829

Brancaleoni E see Morselli L. 2263 Brandt I see Darnerud P.O. 1821 Bressi G see Ratti S.P. 921 Bretthauer E.W see Kutz F.W. 753 Bretthauer E.W. Welcoming remarks and introduction to the

symposium 1

Brinkman U.A.Th see Ritsema R. 2161

Brusseau M.L. and Rao P.S.C. The influence of sorbate-organic matter interactions on sorption nonequilibrium 1691

Bryant C.J. Hartle R.W. Crandall M.S. and Roper P. Polychlorinated biphenyl, polychlorinated dibenzo-p-dioxin, and polychlorinated dibenzofuran contamination in PCB disposal facilities 569

Bunce N.J. Landers J.P. and Safe S.H. Kinetics of the interaction between 2,3,7,8-tetrachlorodibenzop-dioxin and the Ah receptor protein 731

Bunzl K. and Schimmack W. Associations between the fluctuations of the distribution coefficients of Cs, Zn, Sr, Co, Cd, Ce, Ru, Tc and I in the upper two horizons of a podzol forest soil 2109

Burse V.W see Needham L.L. 425 Buser H.R see Poiger H. 259
Butler L.C see Campana J.E. 169
Butterworth B.C see Kuehl D.W. 1997,
see Norwood C.B. 553

Cai J.P see Yediler A. 1589 Calemma V see Piccolo A. 1927 Campana J.E. Schoengold D.M. and Butler L.C. An environmental reference materials program I. Dioxin performance evaluation materials 169 Capel P see Czuczwa J. 847 Cappelli A see Funari E. 2339 Carli G see Funari E. 2339 Carniel A see Funari E. 2339 Carpita A see Hudson J.B. 2317 Cerlesi S see Belli G. 1251, see

Kapila S. 1297, see Merlo F. 913, see Ratti S.P. 921, 855 Cerlesi S. di Domenico A. and Ratti S. Recovery yields of early analytical procedures to detect 2,3,7,8-tetrachloro-dibenzo-pdioxin (TCDD) in soil samples at Sevesco, Italy 989

Charles J.M see Hayward D.G. 455 Chasovnikova O.B see Lyakhovich V.V. 715, see Tsyrlov I.B. 723

Chierici S see Funari E. 2339 Chiesa G see Pitea D. 1457, 1475, 1465

Chintalwar G.J see Ramakrishnan V.

Chowdhury A see Halder P. 1611 Christmann W. Klöppel K.D. Partscht H. and Rotard W. PCDD/PCDF and chlorinated phenols in wood preserving formulations for

household use 861 Christmann W. Klöppel K.D. Rotard W. and Partscht H. Tetrachlorobenzoquinones, a source of

PCDD/PCDF 789 Clement R.E see Bobbie B.A. 155, see McLaughlin D.L. 851, see Tashiro

C. 777

Clement R.E. Suter S.A. and Tosine
H.M. Analysis of large volume
water samples near chemical dump sites using the aqueous phase

liquid extractor (APLE) 133 Clement R.E. Tashiro C. Suter S. Reiner E. and Hollinger D. Chlorinated dibenzo-p-dioxins (CDDs) and dibenzofurans (CDFs)

in effluents and sludges from pulp and paper mills 1189 Clement R.E. Sources, emissions, transport, transformation, and fate rapporteur's comments 1329 Clevenger T see Duebelbeis D.O. 101

Clevenger T.E see Kapila S. 1297, see Puri R.K. 1291

Cleverly D.H. Morrison R.M. Riddle B.L. and Kellam R.G. Regulatory analysis of pollutant emissions, including polychlorinated dibenzo-p-dioxins (CDDs) and dibenzofurans (CDFs), from the stacks of municipal waste combustors 1143

Cloos P see Pussemier L. 1871 Cofino W.P see Ritsema R. 2161 Collins M.C see Eiceman G.A. 2193 Collman G see Thompson C. 687 Colmajo A.L see Nilsson U.L. 2201 Connett P see Webster T. 1123 Connor S see Ding W.-H. 1935, see O'Keefe P.W. 185

Constable J see Schecter A. 627,

531, 1057 Constable J.D see Schecter A. 975, 431, 445 Cooney J.J see Makkar N.S. 2043

Coons T.A see Shopp G.M. 867 Coppock C see Jones D. 1257 Cosentino U see Pitea D. 1475 Couture L.A see Birnbaum L.S. 389 Cox E.A see Creaser C.S. 767

Crandall M.S see Bryant C.J. 569 Creaser C.S. Fernandes A.R. Al-Haddad A. Harrad S.J. Homer R.B. Skett P.W. and Cox E.A. Survey of background levels of PCDDs and PCDFs in UK soils 767

Czuczwa J. Katona V. Pitts G. Zimmerwan M. DeRoos F. Capel P. and Giger W. Analysis of fog samples for PCDD and PCDF 847 Czuczwa J.M see Edgerton S.A. 1713

Daggett V.D see Williams L.A. 947 Darnerud P.O. Bergman A. Lund B.O. and Brandt I. Selective accumulation of chlorinated paraffins (C₁₂ and C₁₆) in the olfactory organ of rainbow trout

Dauphin G see Sarakha M. 1391 Davies D see Schecter A. 811 Davis D see Safe S. 709
Dawson D.A see Schultz T.W. 2283 De Borger R see Pussemier L. 1871 DeLong R.L see Walker W., II 1799

DeMarini D.M. and Simmons J.E.
Toxicological evaluation of byproducts from chemically

dechlorinated 2,3,7,8-TCDD 2293 DeRoos F see Czuczwa J. 847 Diamond M see Mackay D. 1343 Dich J see Wiklund K. 395 Dich J. and Wiklund K. The use of phenoxy acid herbicides in Sweden 391 Ding W.-H. Valente H. Spink D.

Aldous K. Hilker D. and Connor S. Application of multivariate data analysis to evaluate total PCDDs and PCDFs in municipal incinerator emission 1935

Dodo G.H see LaFleur L.E. 77 Dong J.-I. and Bozzelli J.W.
Benzo(a)pyrene levels in several indoor environments with kerosene heaters and woodburning fireplaces 1829

Donnelly J.R see Munslow W.D. 225, see Sovocool G.W. 193 Donnelly J.R. Munslow W.D. Vonnahme

T.L. Nunn N.J. Sovocool G.W. and Mitchum R.K. Preparation of bromochlorodibenzo-p-dioxins and dibenzofurans and analysis by EPA RCRA method 8280 209

Ducruet J.M see Mona S. 2077 Duebelbeis D.O. Kapila S. Clevenge T. Yanders A.F. and Manahan S.E. A two-dimensional reaction gas chromatography system for isomer-specific determination of polychlorinated biphenyls 101

Dumler R see Hutzinger 0. 1235 Dumrugs B see Khan S.U. 2155 Dupuy A.,Jr see O'Keefe P.W. 185 Dupuy A.E., Jr see Harless R.L. 201

Eckart K see Beck H. 417, 507, 1063 Eckhart P see Van den Berg M. 665 Edgerton S.A. Czuczwa J.M. Rench J.D. Hodanbosi R.F. and Koval P.J. Ambient air concentrations of polychlorinated dibenzo-pdioxins and dibenzofurans in Ohio: sources and health risk asessment 1713

Edwards B.S see Shopp G.M. 867 Eiceman G.A. Hoffman R.V. Long Y.-T. Collins M.C. and Lu M.-Q. Adsorption and chlorination of naphthalene on fly ash from municipal incinerators 2193

Eitzer B.D. see Schecter A. 831 Eitzer B.D. and Hites R.A. Dioxins and furans in the ambient atmosphere: a baseline study 593

Eleftheriadis I see Arvanitoyannis I. 1707 Elwell M.R see Birnbaum L.S. 389

Epling G.A. Qiu Q. and Kumar A. Hydride-enhanced photoreaction of chlorodibenzodioxins 329 Ernst W see Bauer I. 1573

Evans T.T see Kew G.A. 1313

Fairless B.J see Wurrey C.J. 897 Fanuzzi A see Funari E. 2339 Farrell K. Safe L. and Safe S. Receptor binding characteristics of 2,3,7,8-substituted polychlorinated dibenzofuran radioligands 1089

Ferguson S.A see Bowman R.E. 235 Fernandes A.R see Creaser C.S. 767 Fernandez M see Gonzalez M.J. 2213 Ferraro P see Funari E. 2339 Fiedler H see Hutzinger 0. 23 Först C. Stieglitz L. Roth W. and Kuhnmünch S. Application of headspace analysis and AOXmeasurement to leachate from hazardous waste landfalls 1943

Fogler H.S see Srinivasan K.R. 333 Forschner S see Sagunski H. 1139 Franz G see Krowke R. 291

Freeman R.A. and Schroy J.M.
Comparison of the rate of TCDD
transport at Times Beach and at
Eglin AFB 1305

Friege H. and Poppe A. Environmental behaviour of monomethyl-substituted diphenylmethanes (Me-PCDMs) in comparison with polychlorinated biphenyls (PCBs) I: pyrolysis experiments 1199

chlorinated biphenyls (PCBs) I:
pyrolysis experiments 1199

Friege H. Stock W. Alberti J. Poppe
A. Juhnke I. Knie J. and
Schiller W. Environmental
behaviour of polychlorinated
monomethyl-substituted diphenylmethanes (Me-PCDMs) in
comparison with polychlorinated
biphenyls (PCBs) II: environmental residues and aquatic
toxicity 1367

Frintrop P.C.M see Ritsema R. 2161

Frintrop P.C.M see Ritsema R. 2161
Fürst P see Schecter A. 445
Fürst P. Krüger Chr. Meemken H.-A.
Groebel W. and Schecter A.
Interaction between sample and
packaging material - a potential

source of contamination with PCDDs and PCDFs 891

Fürst P. Krüger Chr. Meemken H.-A. and Groebel W. PCDD and PCDF levels in human milk dependence on the period of lactation 439 Fulfs J.C see Pinkerton M.N. 1243

Fulfs J.C see Pinkerton M.N. 1243
Funari E. Acquafresca G. Arca F.
Baldi M. Bastianetti J. Cappelli
A. Carli G. Carniel A. Chierici
S. Fanuzzi A. Ferraro P. Lopez
A. Mattioni R. Narese M. Peretti
A. Salamana M. and Zapponi G.
Preliminary report on the
atrazine and molinate water
supply contamination in Italy

Gallo M see Wendling J. 925 Garcia-Baudin J.M see Tadeo J.L. 1673

Garrett J.H see Harden L.A. 85, see Tiernan T.O. 835, 93, see Wagel D.J. 177

Garrett W.A., Jr see Andrews J.S., Jr. 499

Ghent-Guenther T see Gochfeld M.
517, see Hansson M. 525
Gibson S see Hileman F. 1039

Gier A see Kleopfer R.D. 109
Gierthy J.F. Lincoln D.W. O'Keefe P.
Smith R. Meyer C. Hilker D. and
Aldous K. Detection of dioxinlike activity in fish, sediment,
and surface wipes using an in
nitro bioassay 793

Giesy J.P see Ankley G.T. 2069 Giger W see Czuczwa J. 847 Gish T.J see Nash R.G. 2353 Gochfeld M see Hansson M. 525

Gochfeld M. Nygren M. Hansson M.
Rappe C. Velez H. Chent-Guenther
T. Wilson W.P. and Kahn P.C.
Correlation of adipose and blood
levels of several dioxin and
dibenzofuran congeners in agent
orange exposed Vietnam veterans

Goldfarb T.D. Evidence for postfurnace formation of PCDDs and PCDFs-implications for control

Goldstein J see Thompson C. 687
Goldstein J.A. Graham M.J. Sloop T.
Maronpot R. Goodrow T. and
Lucier G.W. Effects of 2,3,7,8tetrachlorodibenzo-p-dioxin
(TCDD) on estradiol metabolism
and enzyme-altered FOCI in a two
stage hepatocarcinogenesis model
in rats 695

Gomez L see Nessel R.J. 1531

Gonzalez M.J. Fernandez M. Jimenez B. and Hernandez L.M. Application of multivariate analysis to the determination of PCBs in fly ash from municipal incinerators 2213 Goodrow T see Goldstein J.A. 695

Goodrow T see Goldstein J.A. 695 Graham M.J see Goldstein J.A. 695 Grainger J see Reddy V.V. 1005 Grainger J. Reddy V.V. and Patterson D.G., Jr. Molecular

geometry/toxicity correlations for laterally tetrachlorinated dibenzo-p-dioxins by Fourier transform infrared spectroscopy 981

Greenall R.L see Kleopfer R.D. 109 Grimalt J.O see Soler M. 1809 Groebel W see Fürst P. 891, 439, see Schecter A. 445

Gross M. see Schecter A. 431 Gross M.L. see Bowman R.E. 235, 243, see Schecter A. 1057, see Tong

H.Y. 469, 577

Gurka D.F see Wurrey C.J. 897

Gutman S.I see Olson J.R. 363

Guzzetta J see Simon N. 163

Häsänen E. and Huttumen S. Acid deposition and the element composition of pine tree rings 1913

Haake J.M see Safe S. 709 Hackett M see Norwood C.B. 553 Hakansson H see Ahlborg U.G. 283

Hakansson H. Johansson L. Manzoor E. and Ahlborg U.G. 2,3,7,8-Tetra-chlorodibenzo-p-dioxin(TCDD)-induced alterations in the vitamin A homoestasis and in the 7-ethoxyresorufin O-deethylase (EROD)-activity in Sprague-Dawley rats and Hartley guinea pigs 299

Hakansson H. Hanberg A. and Ahlborg
U.G. The distribution of ''C2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) between
parenchymal and non-parenchymal
rat hepatic cells and its effect
on the vitamin A content of
these cells 307

Halder P. Barua A.S. Raha P. Biswas B. Pal S. Bhattacharya A. Bedi S. and Chowdhury A. Studies on the photodegradation of pendimethalin in solvents and in Kalvani soil 1611

Kalyani soil 1611

Halley B.A. Jacob T.A. and Lu A.Y.H.

The environmental impact of the use of ivermectin: environmental effects and fate 1543

effects and fate 1543
Halley B.A. Nessel R.J. Lu A.Y.H.
and Roncalli R.A. The environmental safety of ivermectin: an
overview 1565

Hallgren C see Levin J.-0. 2121 Hanberg A see Hakansson H. 307 Hancock J see Lower W.R. 1079 Hansson M see Gochfeld M. 517, see

Schecter A. 531
Hansson M. Rappe C. Gochfeld M.
Velez H. Wilson W.P. ChentGuenther T. and Kahn P.C.
Effects of fasting on blood
levels of 2,3,7,8-TCDD and
related compounds 525

Haraguchi K see Nagayama J. 701 Haraguchi K. Kuroki H. and Masuda Y. Polychlorinated biphenyl methylsulfone congeners in human tissues: identification of methylsulfonyl dichlorobiphenyls 477

Harden L.A see Tiernan T.O. 835, see Wagel D.J. 177

Wager D.J. 177
Harden L.A. Garrett J.H. Solch J.G.
Tiernan T.O. Wagel D.J. and
Taylor M.L. Results of
comparative evaluations of

various fused silica capillary GC columns for retention of tetrachlorinated dibenzo-pdioxins and dibenzofurans 85

dioxins and dibenzofurans 85
Hardin E.D. Hayes D.A. Shore F.L.
and Keith L.H. A comparison of
analytical methods for the
analysis of chlorinated
dioxin/dibenzofuran in pyrolyzed
transformer oil samples 1093
Harless R.L see O'Keefe P.W. 185

Harless R.L see O'Keefe P.W. 185
Harless R.L. Lewis R.G. McDaniel
D.D. and Dupuy A.E., Jr.
Identification of bromo/chloro
dibenzo-p-dioxins and dibenzofurans in ash samples 201

Harper D.J see Shopp G.M. 867 Harrad S.J see Creaser C.S. 767 Harris M see Safe S. 941, see Zacharewski T. 383

Hartle R.W see Bryant C.J. 569
Hashimoto Y see Kishi H. 1749
Hattemer-Frey H.A. and Travis C.C.
Comparison of human exposure to dioxin from municipal waste incineration and background

environmental contamination 643 Hauschulz G see Thoma H. 1213, see Zacharewski T. 383

Hauser T.R. Control technology rapporteur's comments 1333 Hayes D.A see Hardin E.D. 1093

Hayward D.G. Charles J.M. Voss de Bettancourt C. Stephens S.E. Stephens R.D. Papanek P.J. Lance L.L. and Ward C. PCDD and PCDF in breast milk as correlated with fish consumption in Southern California 455

Hazel R.H. Solving dioxin contamination problems in Missouri 1171

Hebert V.R see Miller G.C. 1265 Heida H. Further development of remedial action strategies for the Volgermeerpolder refuse dumpsite 1155

Heida H. Olie K. and Wever J. PCDDs and PCDFs in the environment as a result of outdoor chemical waste burning at the Diemerzeedijk-Amsterdam 1025

Heidmann W.A. and Beyerbach M.
Characterization of PCB mixtures
found in biological samples by
three parameters derived from
the fractions of 45 congeners
2303

Heindl A. and Hutzinger O. Search for industrial sources of PCDD/PCDFs: IV. Phthalocyanine dyes 1207

dyes 1207

Henderson L.O see Needham L.L. 425

Hernandez L.M see Gonzalez M.J. 2213

Herzfeld D. van der Gun K.-D. and

Louw R. Quantitive determination
of volatile organochlorine
compounds in water by GC headspace analysis with dibromomethane as an internal standard
1425

Hesse E see Wendling J. 925 Hileman F see Orth R.G. 1275, see Wendling J. 925

Hileman F. Wehler J. Gibson S. Orth R. Thompson M. and Wendling J. An evaluation of the molecular structure of octachlorodibenzofuran 1039

Hileman F. Wehler J. Wendling J.
Orth R. Ritchie C. and McKenzie
D. Dibenzofuran iun diphenyl
oxide and the relationship to
brominated dibenzofurans in
brominated diphenyl oxide 217

Hilker D see Ding W.-H. 1935, see Gierthy J.F. 793 Hilker D.R see O'Keefe P.W. 185, see Smith R.M. 585

Hinkel M. Reischl A. Schramm K.-W. Trautner F. Reissinger M. and

Hutzinger O. Concentration levels of nitrated phenols in conifer needles 2433

Hiraoka M see Tanaka M. 321 Hirohata T see Nagayama J. 701 Hirose Y. Maeda N. Ohya T. Nojima K. and Kanno S. Formation of cyanogen chloride by the reaction of paptides and proteins with hypochlorous acid in the presence of ammonium ion 2101

Hites R.A see Eitzer B.D. 593, see

Schecter A. 831 Hoang Tri Quinh Le Cao Dai and Le Thi Hong Thom Effects of geographical conditions, soil movement and other variables on the distribution of 2,3,7,8-TCDD levels in adipose tissues from Vietnam: preliminary observations 967

Hodanbosi R.F see Edgerton S.A. 1713 Hoffman R.E see Andrews J.S., Jr. 499 Hoffman R.V see Eiceman G.A. 2193 Hoke R.A see Ankley G.T. 2069 Holcomb M see Jones D. 1257, see Safe S. 941 Hollinger D see Clement R.E. 1189

Holm L.-E see Wiklund K. 395 Holmbom B. Kronberg L. and Smeds A. Chemical stability of the mutagens 3-chloro-4-(dichloromethy1)-5-hydroxy-2(5H)-furanone

(MX) and E-2-chloro-3-(dichloromethyl)-4-oxo-butenoic acid (E-MX) 2237

Homer R.B see Creaser C.S. 767 Hong R. Taylor K. and Abonour R. Immune abnormalities associated with chronic TCDD exposure in rhesus 313

Horaguchi M. Ogawa H. Ose K. Tomisawa S. and Matsuura S. PCDDs and PCDFs from the MSW incinerator 1785

Hudson J.B. Towers G.H.N. Abramowski Z. Hudson L. Rossi R. Carpita A. and Neri D. Ultraviolet-mediated antibiotic activity of synthetic thiophenes and their acetylenic

derivatives 2317 **Hudson J.L.** and **Morey D.A.**Evaluation of method performance for measuring 2,3,7,8-tetrachlorodibenzo-p-dioxin in ambient air 141 Hudson L see Hudson J.B. 2317

Hue N see Schecter A. 627 Huttunen S see Häsänen E. 1913
Hutzinger O see Häsänen E. 1913
Hutzinger O see Heindl A. 1207, see
Hinkel M. 2433, see Pinkerton
M.N. 1243, see Reischl A. 561,
see Thoma H. 1047, 1213, see
Zacharewski T. 383
Hutzinger O. Dumler R. Lenoir D.
Teufl C. and Thoma H. PBDD and
PBDF from brominated flame

PBDF from brominated flame retardants: combustion equipment, analytical methodology and

synthesis of standards 1235
Hutzinger O. and Fiedler H. Sources
and emissions of PCDD/PCDF 23
Huy D.Q see Schecter A. 627

Irwin K.C see Podoll R.T. 2399 Isaacs S see Patterson D.G., Jr. 875, see Turner W.E. 1009 Isnard P. and Lambert S. Aqueous solubility/n-octanol water partition coefficient correlations 1837 Ivie W see Jones D. 1257

Jacob T.A see Halley B.A. 1543 Janssens J.J. and Schepens P.J.C. More experimental evidence for

the De Novo synthesis of halogenated aromatics 1431 Jarman W.M see Walker W., II 1799 Jimenez B see Gonzalez M.J. 2213 Johansson L see Hakansson H. 299 Jones D. Safe S. Morcom E. Holcomb M. Coppock C. and Ivie W. Bioavailability of grain and soil-borne tritiated 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) administered to lactating Holstein cows 1257

Jones K.C. Polychlorinated biphenyls

in Welsh soils: a survey of typical levels 1665

Jones K.C. and Page R.A. Short-tern mutagenicity bioassays applied to evaluating contaminated land

Jones K.C. and Peace E.A. The ames mutagenicity assay applied to a range of soils 1657

Jorzig E.-B see Nowak A. 1447 Jürgens H.-J. and Roth R. Case study and proposed decontamination steps of the soil and groudwater beneath a closed herbicide plant in Germany 1163 Juhnke I see Friege H. 1367

Kahn P.C see Gochfeld M. 517, see Hansson M. 525, see Williams L.A. 947

Kaj L see Svenson A. 1805 Kalas L see Mudroch A. 2141 Kale S.P. and Raghu K. Effect of carbofuran and its degradation products of microbial numbers and respiration in soils 2345 Kannan N see Tanabe S. 485, see

Tarhanen J. 1067

Kannan N. Wakimoto T. and Tatsukawa R. Possible involvment of frontier (π) electrons in the metabolism of polychlorinated

metabolism of polychlorinated biphenyls (PCBs) 1955 Kanno S see Hirose Y. 2101 Kantor E.J see Marbury G.D. 819 Kapila S see Belli G. 1251, see Duebelbeis D.O. 101, see Lower W.R. 1079, see Orazio C. 69, see Puri R.K. 1291

Kapila S. Yanders A.F. Orazio C.E. Meadows J.E. Cerlesi S. and Clevenger T.E. Field and laboratory studies on the movement and fate of tetrachlorodibenzo-p-dioxin in soil 1297

Kappos A.D see Sagunski H. 1139 Karasek F.W see Tong H.Y. 577 Kasai Y see Onitsuka S. 1621 Kashimoto T see Miyata H. 407 Katona V see Czuczwa J. 847 Kawamoto K. and Urano K. Parameters

for predicting fate of organochloride pesticides in the environment (I) octanol-water and air-water partition co-efficients 1987

Kay M. Overcoming chemophobia: a key factor in solving the Missouri dioxin problem 1177

Kaylor W.H see Ringhand H.P. 2229 Keating M.H see Kuykendal W.B. 1227 Keenan R.E. Sauer M.M. and Lawrence F.H. Examination of potential risks from exposure to dioxin in paper mill sludge used to reclaim abandoned Appalachian coal mines 1131

Keith L.H see Hardin E.D. 1093 Kellam R.G see Cleverly D.H. 1143 Kelley M see Randerath K. 681 Kerr R.S see O'Keefe P.W. 185

Kew G.A. Schaum J.L. White P. and Evans T.T. Review of plant uptake of 2,3,7,8-TCDD from soil and potential influences of bioavailability 1313

Khan S.U. Behki R.M. and Dumrugs B. Fate of bound 1 °C residues in soil as affected by repeated treatment of prometryn 2155 Kharchaf I see Mahyaoui M. 1639

Kirchmer C.J see Kleopfer R.D. 109
Kirk P.W.W. Rogers H.R. and Lester
J.N. The fate of chlorobenzenes and permethrins during anerobic sewage sludge digestion 1771

Kirshenbaum K see Williams L.A. 947 Kishi H. and Hashimoto Y. Evaluation of the procedures for the measurement of water solubility measurement of water solubility and n-octanol/water patition coefficient of chemicals results of a ring test in Japan 1749 Kiyohara C see Nagayama J. 701 Kjeller L.-O see Rappe C. 651, 1283 Klein W see von Oepen B. 1495 Kleinveld A.H. Verhoeve P. and

Nielen M.W.F. Evaluation of clean-up methods for the determination of chlorinated aromatic hydrocarbons in fly-ash by capillary gas chromatography and mass selective detection 1401

Kleopfer R.D see Wurrey C.J. 897
Kleopfer R.D. Greenall R.L.
Viswanathan T.S. Kirchmer C.J.
Gier A. and Muse J. Determination of polychlorinated dibenzo-dioxins and dibenzofurans in environmental samples using high resolution mass

spectrometry 109 Klick S see Abrahamsson K. 2247 Klöppel K.D see Christmann W. 789,

Knie J see Friege H. 1367 Knorr E see Zacharewski T. 383 Knuth M.L. Determination of the insect growth regulator methoprene in natural waters by capillary gas-liquid chroma-tography 2275

Kördel W see von Oepen B. 1495 Kociba R.J see Pinkerton M.N. 1243 Koistinen J see Tarhanen J. 1067 Koivusaari J see Tarhanen J. 1067 Kominsky J.R. and Kwoka C.D.

Background concentrations of polychlorinated dibenzofurans (PCDFs) and polychlorinated dibenzo-p-dioxins (PCDDs) in office buildings in Boston,

Massachusetts 599 Kononen D.W. PCBs and DDT in Saginaw Bay white suckers 2065 Kooke R see Schecter A. 627 Kopfler F.C see Ringhand H.P. 2229 Korte F see Adrian P. 1599, see Schmitzer J. 2383, see Yediler

A. 1589 A. 1589
Koval P.J see Edgerton S.A. 1713
Kretschmer E see Thoma H. 491
Kronberg L see Holmbom B. 2237
Kroner S see Kuehl D.W. 1997
Kronick A.T see Makkar N.S. 2043
Krowke R. Franz G. and Neubert D.
Embryotoxicity is the TCDDinduced embryotoxicity in the

induced embryotoxicity in rats due to maternal toxicity? 291 Krüger C see Schecter A. 445 Krüger Chr see Fürst P. 439, 891 Kuehl D.W. Butterworth B.C. McBride

A. Kroner S. and Bahnick D. Contamination of fish by 2,3,7,8-tetrachlorodibenzo-pdioxin: a survey of fish from major watersheds in the United States 1997

Kuhrmünch S see Först C. 1943 Kumar A see Epling G.A. 329 Kuokkanen T. and Autio P. Chlorination of p-cymene by chlorine in carbon tetrachloride: model compounds for

environmental analyses 1921 Kuroki H see Haraguchi K. 477 Kutz F.W. Bottimore D.P. Bretthauer E.W. and McNelis D.N. International information exchange activities on dioxins

Kuykendal W.B. Lamason W.H., II Miles A.J. and Keating M.H. Ash data from combustion sources: results of tier 4 of the National Dioxin Study 1227
Kwoka C.D see Kominsky J.R. 599

LaFleur L see Amendola G. 1181 LaFleur L.E. and Dodo G.H. An interlaboratory comparison of analytical procedures for the measurement of PCDDs/PCDFs in pulp and paper industry solid wastes 77

Lahaniatis E.S see Adrian P. 1599 Lamason W.H., I see Kuykendal W.B. 1227

Lambert S see Isnard P. 1837 Lamparski L.L see Mahle N.H. 2257, see Nestrick T.J. 1761

Lance L.L see Hayward D.G. 455 Landers J.P see Bunce N.J. 731 Lane K.A see Shopp G.M. 867 Larsen J.Chr see Madsen C. 955 Lasagni M see Pitea D. 1465, 1457,

1475 Lau B.P.-Y see Ryan J.J. 149 Lawrence F.H see Keenan R.E. 1131 Le Cao Da see Hoang Tri Quinh 967

Le Diem Huong Nguyen Thi Ngoc Phuong Tran Thi Thuy and Nguyen Thi Kim Hoan An estimate of the incidence of birth effects, hydatidiform mole and fetal death utero between 1952 and 1985 at the obstetrical and gynecological hospital of Ho Chi Minh City, Republic of Vietnam 805

Le Thi Hong Tho see Hoang Tri Quinh

Leinonen K.P. The influence of soil preparation on the levels of aluminium, manganese, iron, copper, zinc, cadmium and mercury in Vaccinium myrtillus

Lenoir D see Hutzinger O. 1235 Lester J.N see Kirk P.W.W. 1771

Leung H.-W. Paustenbach D.J. and Andersen M.E. A physiologically-based pharacokinetic model for 2,3,7,8-tetrachlorodibenzo-p

dioxin 659
Leung H.-W. Paustenbach D.J. and Murray F.J. Documentation for an occupational exposure limit for 2,3,7,8-tetrachlorodibenzo-pdioxin 1115

Levin J.-O see Norström A. 1513 Levin J.-O. Lindahl R. Andersson K. and Hallgren C. High-performance liquid-chromatographic determination of diethylamine in air using diffusive sampling and thiourea formation 2121

Lewis R.G see Harless R.L. 201 Liberti A see Morselli L. 2263 Lin D.T see Schultz T.W. 2283 Lincoln D.W see Gierthy J.F. 793 Lindahl R see Levin J.-0. 2121 Lindskog A see Rappe C. 1283 Liong E see Wong P.K. 2413 Lis Z.A see Ball M. 759, see Päpke

0. 617 Lizotte R see Ryan J.J. 149

Löf A see Norström A. 1513 Lodge K.B. Solubility studies using a generator column for 2,3,7,8 tetrachlorodibenzo-p-dioxin 933 Long Y .- T see Eiceman G.A. 2193

Lopez A see Funari E. 2339 Louw R see Arends I.W.C.E. 1965, see Herzfeld D. 1425

Lower W.R. Yanders A.F. Orazio C.E.

Puri R.K. Hancock J. and Kapila S. A survey of 2,3,7,8-tetrachlorodibenzo-p-dioxin residues in slected animal species from

Times Beach, Missouri 1079

Lu A.Y.H see Halley B.A. 1543, 1565

Lu M.-Q see Eiceman G.A. 2193

Lucier G see Nelson K. 737, see

Thompson C. 687

Lucier G.W see Goldstein J.A. 695

Lund B.O see Darnerud P.O. 1821

Lundgren K see Thompson C. 687 Lusis M see Tashiro C. 777

Lyakhovich V.V see Tsyrlov I.B. 723

Lyakhovich V.V. Chasovnikova O.B.
and Tsyrlov I.B. Effect of TCDD

and comparable inducers upon synthesis of mono-oxygenase forms P-450c and P-450d in rats

MacGillivray A.R see Williams R.T.

Mackay D. and Diamond M. Application of the QWASI (quantitative water sir sediment interaction) fugacity model to the dynamics and inorganic chemicals in Lakes 1343

Madsen C. and Larsen J.Chr. Relative toxicity of chlorinated dibenzop-dioxins, and dibenzofurans measured by thymus weight and liver enzyme induction in perinatally dosed rats, 2,3,7,8-TCDD, 2,3,4,7,8-PeCDF, 1,2,3,7,8-PeCDD 949

Maeda N see Hirose Y. 2101
Mahle N.H. Lamparski L.L. and
Nestrick T.J. A method for the determination of 2,3,7,8-tetrachlorodibenzo-P-dioxin in processed wastewater at the parts per quadrillion level 2257

Mahyaoui M. Saghi M. and Kharchaf I. Etude de la pollution metallique (cd, Cu, Pb, Zn) du littoral atlantique marocain entre

kenitra et temara 1639
Makkar N.S. Kronick A.T. and Cooney
J.J. Butyltins in sediments from
Boston Harbor, USA 2043
Malhotra R.K see Puri R.K. 1291

Manahan S.E see Duebelbeis D.O. 101 Mano S see Oehme M. 1379 Mansour M see Adrian P. 1599

Manzoor E see Ahlborg U.G. 283, see

Hakansson H. 299
Marbury G.D. Turlington J.M.
Tuschall J.R. and Kantor E.J. Unusual non-linearity effects oserved in the analysis of 2,3,7,8-TCDD: implications for quantitative accuracy 819 Marklund S see Miller H. 1485, see

Rappe C. 1283 Marklund S. Andersson R. Tysklind M. and Rappe C. Emissions of PCDDs and PCDFs from a PVC-fire in Holmsund, Sweden 1031 Maronpot R see Goldstein J.A. 695

Mason G see Randerath K. 681 Masuda Y see Haraguchi K. 477, see Nagayama J. 701, see Tanaka M.

321 Mathar W see Beck H. 507, 1063, 417 Matienzo T see Tadeo J.L. 1673 Matsuura S see Horaguchi M. 1785 Mattioni R see Funari E. 2339 Maurino V see Pelizzetti E. 1437 Mayura K see Safe S. 709 McAllister D.L see Pinkerton M.N.

McBride A see Amendola G. 1181, see

Kuehl D.W. 1997 McDaniel D see O'Keefe P.W. 185 McDaniel D.D see Harless R.L. 201 McKenzie D see Hileman F. 217

McLaughlin D.L. Pearson R.G. and Clement R.E. Concentrations of chlorinated dibenzo-p-dioxins (CDD) and dibenzofurans (CDF) in soil from the vicinity of a large refuse incinerator in Hamilton Ontario 851
McNelis D.N see Kutz F.W. 753

Meadows J.E see Kapila S. 1297
Meamken H.-A see Fürst P. 891, 439,
see Schecter A. 445

Merlo F. Puntoni R. Cerlesi S. Raschetti R. and Strigini P. The assessment of exposure to 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) in the Seceso

area: a novel approach 913
Mes J see Schecter A. 811 Meyer C see Gierthy J.F. 793 Miille M.J see Miller G.C. 1265 Miles A.J see Kuykendal W.B. 1227
Miller G.C. Hebert V.R. Miille M.J.
Mitzel R. and Zepp R.G.
Photolysis of octachlorodibenzo-

p-dioxin on soils: production of 2,3,7,8-TCDD 1265 Miller H. Marklund S. Bjerle I. and

Rappe C. Correlationn of incineration parameters for the destruction of polychlorinated dibenzo-p-dioxins 1485 Miller R.G see Ringhand H.P. 2229

Millischer R.J see Bouraly M. 2051 Mimura M see Miyata H. 407 Minero C see Pelizzetti E. 1437 Mitchum R.K see Donnelly J.R. 209, see Munslow W.D. 225, see Sovocool G.W. 193, see Tondeur

Y. 119 Mitzel R see Miller G.C. 1265 Miyata H. Takayama K. Ogaki J. Mimura M. Kashimoto T. and Yamada T. Levels of PCDDs, coplanar PCBs and PCDFs in patients with Yusho desease and

in the Yusho oil 407
Mo S.H see Smith R.M. 585
Mohri N see Nagayama J. 701
Mona S. Ducruet J.M. Nurit F.

Ravanel P. and Tissut M. Distribution of phenmedipham and other biscarbamates inside leaf fragments of Chenopodium album and Spinacia oleracea plants 2077

Monson S see Schecter A. 431 Monson S.J see Schecter A. 1057, see

Tong H.Y. 469 Morcom E see Jones D. 1257 Morey D.A see Hudson J.L. 141 Morita M see Yasuhara A. 1737 Moro G see Pitea D. 1465, 1475, 1457 Morrison R.M see Cleverly D.H. 1143 Morselli L. Zappoli S. Liberti A.

Rotatori M. and Brancaleoni E. Evaluation and comparison of organic and inorganic compounds between emission and immission samples from municipal solid waste incinerator 2263

Morshed G.S see Sattar M.A. 2329 Mücke W see Thoma H. 491 Müller M.D. Renberg L. and Rippen G. Tributyltin in the environment

sources, fate and determination an assessment of present status and research needs 2015

Mudroch A. Onuska F.I. and Kalas L. Distribution of polychlorinated biphenyls in water, sediment and biota of two harbours 2141

Mulder P see Arends I.W.C.E. 1965
Munslow W.D see Donnelly J.R. 209,
see Sovocool G.W. 193
Munslow W.D. Donnelly J.R. Mitchum
R.K. and Sovocool G.W. Synthesis of polyhalogenated dibenzo-pdioxins 225

Murray F.J see Leung H.-W. 1115 Muse J see Kleopfer R.D. 109

Näslund P.H see Norström A. 1513 Nagayama J. Kiyohara C. Mohri N. Hirohata T. Haraguchi K. and Masuda Y. Inhibitory effect of methylsulphonyl polychlorinated biphenyls on aryl hydrocarbon hydroxylase activity 701 Narese M see Funari E. 2339

Nash R.G. and Gish T.J. Halogenated pesticide volatilization and dissipation from soil under controlled conditions 2353

Nash R.G. Models for estimating pesticide dissipation from soil and vapor decline in air 2375

Nash R.G. Volatilization and dissipation of acidic herbicides from soil under controlled conditions 2363

ann S.M see Norwood C.B. 553

Naumann S.M see Norwood C.B. 553
Needham L.L see Andrews J.S., Jr.
499, see Patterson D.G., Jr. 875
Needham L.L. Patterson D.G., Jr.
Pirkle J.L. Henderson L.O. and
Burse V.W. The basis for
measuring 2,3,7,8-tetrachlorodibenzo-p-dioxin in serum 425

Nelson K. Sunahara G. Ryan R. and Lucier G. Decrease hepatic cytosolic glucocorticoid receptor binding upon treatment of rodents (mice and rats) with 2,3,7,8-tetrachlorodibenzo-pdioxin 737

Neri D see Hudson J.B. 2317
Nessel R.J see Halley B.A. 1565
Nessel R.J. Wallace D.H. Wehner T.A.
Tait W.E. and Comez L.
Environmental fate of ivermectin in a cattle feedlot 1531

Nestrick T.J see Mahle N.H. 2257 Nestrick T.J. Lamparski L.L. and Peters T.L. Micro-scale bromination procedure for synthesis of "2,3,7,8-substituted" brominated dibenzo-p-dioxins and dibenzofurans from [130]-labeled precursors 1761

Neubert D see Krowke R. 291 Nguyen Thi Kim Hoa see Le Diem Huong

Nguyen Thi Ngoc Phuong Tran Thi Thuy and Pham Kim Phuong An estimate of differences among women giving birth to deformed babies and among those with
hydatidiform mole seen at the
Ob-Gyn Hospital of Ho Chi Minh
City in the South of Vietnam 801
Nguyen Thi Ngoc Phuong Tran Thi Thuy
and Pham Kim Phuong An estimate

of reproductive abnormalities in women inhabiting herbocide sprayed and non-herbicide sprayed areas in the Spouth of Vietnam, 1952-1981 843 Nguyen Thi Ngoc Phuong see Le Diem

Huong 805

Nielen M.W.F see Kleinveld A.H. 1401 Niimi A.J. and Oliver B.G.

Assessment of relative toxicity of chlorinated dibenzo-p-dioxins, dibenzofurans, and dioxins, dibenzofurans, biphenyls in Lake Ontario salmonids to mammalian systems using toxic equivalent factors (TEF) 1413

Nilsson U.L. and Colmsjö A.L. Reactivity of polycyclic aromatic hydrocarbons in different chlorination reactions 2201

Nojima K see Hirose Y. 2101 Nolla H.A see Shopp G.M. 867 Norström A. Andersson B. Levin J.-O. Näslund P.H. Wallén M. and Löf A. Biological monitoring of O-xylene after experimental exposure in man: determination of urinary excretion products

Norwood C.B. Hackett M. Pruell R.J. Butterworth B.C. Williamson K.J. and Naumann S.M. Polychlorinated dibenzo-p-dioxins and dibenzofurans in selected estuarine sediments 553

Nowak A. and Jorzig E.-B. Minaralisierung und Nebeneffekte des Herbizids Dichlorprop in Abhängigkeit von Organischen C-Gehalt im boden 1447

Nunn N.J see Donnelly J.R. 209, see Sovocool G.W. 193 Nurit F see Mona S. 2077 Nunja I see Tarhanen J. 1067 Nygren M see Gochfeld M. 517, see Schecter A. 531

O'Keefe P see Gierthy J.F. 793 O'Keefe P.W see Smith R.M. 585 O'Keefe P.W. Smith R.M. Hilker D.R. Aldous K.M. Spink D. Valente H. Connor S. Kerr R.S. Stanley J.S. Harless R.L. McDaniel D. and Dupuy A., Jr. Interlaboratory validation of PCDD and PCDF concentrations found in municipal incinerator emissions

Ochme M. Mano S. and Bjerke B. Formation of polychlorinated dibenzofurans and dibenzo-p-dioxins by production processes for magnesium and refined nickel 1379

Ogaki J see Miyata H. 407 Ogawa H see Horaguchi M. 1785 Ogwada R.A see Rao P.S.C. 2177 Ohya T see Hirose Y. 2101 Olie K see Heida H. 1025, see Schecter A. 627

Oliver B.G see Niimi A.J. 1413 Olson J.R. Bellin J.S. and Barnes D.G. Reexamination of data used for establishing toxicity equivalence factors (TEFS) for chlorinated dibenzo-p-dioxins and dibenzofurans (CDDS and CDFS) 371

Olson J.R. Gutman S.I. and Shen E.S. Reexamination of the doseresponse relationship for induction of the hepatic mono-oxygenase system by 2,3,7,8-TCDD

Onitsuka S. Kasai Y. and Yoshimura K. Quantitive structure - toxic activity relationship of fatty acids and the sodium salts to

aquatic organisms 1621 Ono M see Tanabe S. 485 Onuska F.I see Mudroch A. 2141 Ophorst W.R see Arends I.W.C.E. 1965 Opperhuizen A see Schrap S.M. 1883 Orazio C. Meadows J. Kapila S.

Palmer C. and Yanders A.F. Simple clean-up procedures for determination of polychlorinated dibenzo-p-dioxin and p'oly-chlorinated dibenzofurans in waste oil, soil and biological

tissue samples 69 Orazio C.E see Kapila S. 1297, see Lower W.R. 1079

Orr D see Tashiro C. 777
Orth R see Hileman F. 1039, 217, see
Wendling J. 925
Orth R.G. Ritchie C. and Hileman F.

Measurement of the photoinduced loss of vapor phase TCDD 1275 Ose K see Horaguchi M. 1785

Păpke O see Ball M. 759 Păpke O. Ball M. Lis Z.A. and Scheunert K. PCDD and PCDF in indoor air of kindergartens in Northern W. Germany 617 Page R.A see Jones K.C. 2423 Pal S see Halder P. 1611 Palmer C see Orazio C. 69 Panopio L.G see Ryan J.J. 149
Papanek P.J see Hayward D.G. 455 Parish H.J see Podoll R.T. Partscht H see Christmann W. 789, 861

Patterson D.G. Jr see Turner W.E. 1009

Patterson D.G., Jr see Needham L.L. 425

Patterson D.G., Jr see Andrews J.S., Jr. 499, see Barnhart E.R. 827, see Grainger J. 981, see Reddy V.V. 1005

Patterson D.G., Jr. Turner W.E. Alexander L.R. Isaacs S. and

Needham L.L. The analytical methodology and method per-formance for the determination of 2,3,7,8-TCDD in serum for the Vietnam veteran agent orange validation study, the Ranch Hand validation and half-life studies, and selected NIOSH Worker Studies 875

Paustenbach D.J see Leung H.-W. 1115, 659

Pérez-García I Rivadeneyra M.A. and Ramos-Cormenzana The influence of pH on struvite formation by bacteria 1633

Peace E.A see Jones K.C. 1657 Pearson R.G see McLaughlin D.L. 851 Pedersen J.R. Isotopic carbon exchange between a simple chloroalkane and dioxins 2311

Pelizzetti E. Maurino V. Minero C. Zerbinati O. and Borgarello E. Photocatalytic degradation of

bentazon by TiO₂ particles 1437

Pennell K.D see Rhue R.D. 1971

Peretti A see Funari E. 2339 Perez S see Tadeo J.L. 1673 Peters T.L see Nestrick T.J. 1761 Petrella R.V see Pinkerton M.N. 1243 Pham Kim Phuon see Nguyen Thi Ngoc

Phuong 843, 801 Phillips T.D see Safe S. 709 Piccolo A. Rausa R. and Calemna V. FT-IR spectra of humic substances extracted with dipolar aprotic solvents 1927

Pinkerton M.N. Kociba R.J. Petrella R.V. McAllister D.L. Willis M.L. Fulfs J.C. Thoma H. and Hutzinger O. A preliminary report on the investigation of the comparative toxicity of combustion products of high impact polystyrene with and without decabromodiphenyloxide/antimony trioxide as a flame retardant using 2,3,7,8-tetrabromodibenzo-p-dioxin and 2,3,7,8-tetrabromodibenzofuran

as positive controls 1243 Pirkle J.L see Needham L.L. 425 Pitea D. Lasagni M. Bonati L. Moro G. Todeschini R. and Chiesa G. The combustion of municipal solid wastes and PCDD and PCDF emissions. Part 2. PCDD and PCDF in stack gases 1465

Pitea D. Cosentino U. Lasagni M. Moro G. Todeschini R. and Chiesa G. The combustion of municipal solid wastes and PCDD and PCDF

emissions. Part 3. PCDD and PCDF in fly ash 1475

Pitea D. Bonati L. Lasagni M. Moro G. Todeschini R. and Chiesa G. The combustion of municipal solid wastes and PCDD and PCDF emissions. Part I. PCDD and PCDF in MSW 1457

Pitts G see Czuczwa J. 847 Pluess N see Poiger H. 265, 259 Podoll R.T. Irwin K.C. and Parish

H.J. Dynamic studies of naphthalene sorption on soil from aqueous solution 2399 Poiger H see van den Berg M. 677 Poiger H. Pluess N. and Schlatter C.

Subchronic toxicity of some chlorinated dibenzofurans in rats 265

Poiger H. Pluess N. and Buser H.R. The metabolism of selected PCDFs in the rat 259
Polissar L see Woods J.S. 401

Pols H.B see Turkstra E. 539 Poppe A see Friege H. 1367, 1199 Powell B.M see Tong H.Y. 469 Pruell R.J see Norwood C.B. 553

Puhvel S.M. and Sakamoto M. Increase in epidermal langerhans cells in mouse skin following treatment with TCDD 253

Puntoni R see Merlo F. 913
Puri R.K see Lower W.R. 1079
Puri R.K. Clevenger T.E. Kapila S.
Yanders A.F. and Malhotra R.K. Studies of parameters affecting translocation of tetrachloro-

dibenzo-p-dioxin in soil 1291 Pussemier L. De Borger R. Cloos P. and Van Bladel R. Relation between the molecular structure and the adsorption of arylcarbamate, phenylurea and anilide pesticides in soil and model organic adsorbents 1871 Putman K.L see Randerath K. 681

Raghu K see Kale S.P. 2345 Raha P see Halder P. 1611 Ramakrishnan V. Chintalwar G.J. and Banerji A. Environmental persistence of diallyl disulfide, as insecticidal principle of garlic and its metabolism in mosquito, Culex

pipiens quinquifasciatus SAY. nos-Cormenzana see Pérez-García I

Randerath E see Randerath K. 681 Randerath K. Putman K.L. Randerath E. Mason G. Kelley M. and Safe S. Liver DNA alterations by 2,3,7,8-tetrachloro-dibenzo-pdioxin and 1,2,3,7,8pentachlorodibenzo-p-dioxin in the female rat 681

Rannug A. and Rannug U. UV-Irradiation of tryptophan gives rise to AHH-inducing compounds with very high affinity for the Ah receptor 1101

Rannug U see Rannug A. 1101
Rao P.S.C see Brusseau M.L. 1691, see Rhue R.D. 1971
Rao P.S.C. Ogwada R.A. and Rhue R.D. Adsorption of volatile organic compounds on anhydrous and hydrated sorbents: equilibrium adsorption and energetics 2177

Rappe C see Gochfeld M. 517, see Hansson M. 525, see Marklund S. 1031, see Miller H. 1485, see Schecter A. 531

Rappe C. Analytical methods and exposure asessment 17
Rappe C. Analytical methods and

exposure assessment concluding remarks 1325

Rappe C. Bergqvist P.-A. and Kjeller L.-O. Levels, trends and patterns of PCDDs and PCDFs in Scandinavian environmental

samples 651
Rappe C. Marklund S. Kjeller L.-O.
and Lindskog A. Long-range
transport of PCDDs and PCDFs on

airbone particles 1283 Rappe C. Tarkowski S. and Yrjänheikki E. The WHO/EURO

quality control study on PCDDs and PCDFs in human milk 883 Raschetti R see Merlo F. 913 Ratti S see Cerlesi S. 989 Ratti S.P see Belli G. 1251 Ratti S.P. Belli G. Bressi G. Cerlesi S. and Zocchetti C. An empirical model to describe the empirical model to describe the TCDD distribution on all the territory around Sevesco and the

time dependence of its parameters 921 Ratti S.P. Belli G. and Cerlesi S. Mathematical approach to data analysis in environmental

science: the lecture of Seveso

Rausa R see Piccolo A. 1927 Ravanel P see Mona S. 2077 Reddy V.V see Grainger J. 981 Reddy V.V. Patterson D.G.,Jr. Grainger J. and Bowen J.P. A computational study of some dioxin derivatives using MMP2 force field method 1005

Reid N see Tashiro C. 777
Reiner E see Clement R.E. 1189
Reischl A see Hinkel M. 2433
Reischl A. Reissinger M. Thoma H.

and Hutzinger O. Accumulation of organic air constituents by plant surfaces: Part IV. Plant surfaces: a sampling system for atmospheric polychlorodibenzo-pdioxin (PCDD) and polychloro-dibenzo-p-furan (PCDF) 561 Reissinger M see Hinkel M. 2433, see

Reischl A. 561 Renberg L see Müller M.D. 2015 Rench J.D see Edgerton S.A. 1713

Reve W.H see Rhue R.D. 1971 Rhue R.D see Rao P.S.C. 2177 Rhue R.D. Pennell K.D. Rao P.S.C. and Reve W.H. Competitive adsorption of alkylbenzene and

water vapors on predominantly mineral surfaces 1971 Riddle B.L see Cleverly D.H. 1143

Ringhand H.P. Kaylor W.H. Miller R.G. and Kopfler F.C. Synthesis of 3-1°C-3-chloro-4-(dichloro-methyl)-5-hydroxy-2(5H)-furanone and its use in a tissue distribution study in the rat

Rippen G see Müller M.D. 2015 Risebrough R.W see Walker W., II 1799 Ritchie C see Hileman F. 217, see

Orth R.G. 1275
Ritsema R. Cofino W.P. Frintrop
P.C.M. and Brinkman U.A.Th. Trace-level analysis of phthalate esters in surface water and suspended particulate matter by means of capillary gas chromatoggraphy with electroncapture and mass-selective

detection 2161 Rivadeneyra M.A see Pérez-García I 1633

Roberts D.W see Andrews J.S., Jr. 499 Rogers C see Tiernan T.O. 835 Rogers H.R see Kirk P.W.W. 1771 Romkes M. and Safe S. Comparative effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) and pro-

gesterone on estrogenic responses in rats 745 Roncalli R.A see Halley B.A. 1565

Roper P see Bryant C.J. 569 Rordorf B.F. Prediction of vapor pressures, boiling points and enthalpies of fusion for twentynine halogenated dibenzo-pdioxins and fifty-five dibenzofurans by a vapor pressure correlation method 783

Rordorf B.F. Thermal decomposition curves of dibenzo-p-dioxins by a scanned flow tube pyrolysis method with on-line ion trap MS

detection 1017
Rossi R see Hudson J.B. 2317
Rotard W see Christmann W. 789,
Rotatori M see Morselli L. 2263 Roth R see Jürgens H.-J. 1163 Roth W see Först C. 1943, see Stieglitz L. 1219 Ryan J.J see Schecter A. 975, 635 Ryan J.J. Lizotte R. Panopio L.G. and Lau B.P.-Y. The effect of strong alkali on the determination of polychlorinated dibenzofurans (PCDFS) and polychlorinated dibenzo-p-dioxins (PCDDS) 149

Ryan R see Nelson K. 737

Safe L see Farrell K. 1089, see Safe S. 941

Safe S see Farrell K. 1089, see Jones D. 1257, see Randerath K. 681, see Romkes M. 745, see Zacharewski T. 383

Safe S. Bannister R. Davis D. Haake J.M. Zacharewski T. Mayura K. and Phillips T.D. Aroclor 1254 as a 2,3,7,8-tetrachlorodibenzo-

p-dioxin antagonist in mice 709 Safe S. Zacharewski T. Safe L. Harris M. Yao C. and Holcomb M. Validation of the AHH induction bioassay for the determination of 2,3,7,8-TCDD toxic equivalents 941

Safe S.H see Bunce N.J. 731
Saghi M see Mahyaoui M. 1639
Sagunski H. Forschner S. and Kappos
A.D. Indoor air pollution by dioxins in day-nurseries. Risk assessment and management 1139

Sakamoto M see Puhvel S.M. 253 Salamana M see Funari E. 2339 Sarakha M. Dauphin G. and Boule P. Photochemical behaviour of 2biphenylol in acidic aqueous solution 1391

Sattar M.A. and Morshed G.S. Effects of urea-pesticide combinations on ammonification and nitri-fication in soil 2329

Sauer M.M see Keenan R.E. 1131 Schantz S.L see Bowman R.E. 243, 235 Schaum J.L see Kew G.A. 1313 Schecter A see Fürst P. 891

Schecter A. Tong H.Y. Monson S.J. Gross M.L. and Constable J. Adipose tissue levels of 2,3,7,8-TCDD in Vietnamese adults living in Vietnam 1984-87

Schecter A. and Ryan J.J. Blood and adipose tissue levels of PCDDs/PCDFs over three years in a patient after exposure to polychlorinated dioxins and

dibenzofurans 635 Schecter A. Kooke R. Serne P. Olie K. Huy D.Q. Hue N. and Constable J. Chlorinated dioxin and dibenzofuran levels in food samples collected between 1985-87 in the North and South of

Vietnam 627
Schecter A. Ryan J.J. and Constable
J.D. Chlorinated dioxins and dibenzofurans in human milk from Japan, India, and the United

States of America 975 Schecter A. Eitzer B.D. and Hites R.A. Chlorinated dioxiun and dibenzofuran levels in sediments collected from rivers in Vietnam, 1984-6 831 Schecter A. Constable J.D. Bangert

J.V. Tong H. Arghestani S. Monson S. and Gross M. Elevated body burdens of 2,3,7,8-tetra-chlorodibenzodioxin in adipose tissue of United States Vietnam

veterans 431

Schecter A. Constable J. Bangert J.V. Wiberg K. Hansson M. Nygren M. and Rappe C. Isomer specific measurement of polychlorinated dibenzodioxin and dibenzofuran isomers in human blood from American Vietnam veterans two decades after exposure to agent orange 531

orange 551
Schecter A. Fürst P. Krüger C.
Meemken H.-A. Groebel W. and
Constable J.D. Levels of polychlorinated dibenzofurans, dibenzodioxins, PCBs, DDT and DDE, hexachlorobenzene, dieldrin, hexachlorocyclohexanes and oxychlordane in human breast milk from the United States, Thailand, Vietnam and Germany 445

Schecter A. Mes J. and Davies D. Polychlorinated biphenyl (PCB), , DDE and hexachlorobenzene (HCB) and PCDD/F isomer levels in various organs in autopsy tissue from North American patients 811

Schepens P.J.C see Janssens J.J. 1431

Scheunert I see Adrian P. 1599, see

Schmitzer J. 2383 Scheunert K see Ball M. 759, see Päpke O. 617

Scheuplein R.J. Dose-response assessment 7

Scheuplein R.J. Dose-response assessment: lessons learned 1319 Schiller W see Friege H. 1367

Schimmack W see Bunzl K. 2109 Schlatter C see Poiger H. 265 Schlatter Ch see Schmid P. 1741, see Suter-Hofmann M. 277

Schlesing H. Analytical program for the risk assessment of a closed

herbocide plant in Germany 903 Schmid P. Suter-Hofmann M.E. and Schlatter Ch. A simplified clean-up procedure for the rapid determination of PCDDs and PCDFs based on retension on activated carbon AX-21 1741

Schmitzer J. Bin C. Scheunert I. and Korte F. Residues and metabolism of 2,4,6-trichlorophenol-1 °C in soil 2383

Schoengold D.M see Campana J.E. 169 Schramm K.-W see Hinkel M. 2433 Schramm W see Andrews J.S., Jr. 499

Schrap S.M. and Opperhuizen A. Quantifying the sorption or organic chemicals on sediments 1883

Schroy J.M see Freeman R.A. 1305 Schulten H.-R see Simmleit N. 1855

Schultz T.W. Dawson D.A. and Lin D.T. Comparative toxicity of selected nitrogen-containing aromatic compounds in the Tetrahymena pyriformis and Pimephales promelas test systems

Schutte C.H.J see Bouwman H. 2085 Serme P see Schecter A. 627 Shen E.S see Olson J.R. 363 Shopp G.M. Edwards B.S. Coons T.A.

Sweeney M.H. Vogt R.F. Ashmore L.M. Harper D.J. Lane K.A. and Nolla H.A. Laboratory assessment of the immune system in individuals occupationally exposed to 2,3,7,8-tetrachloro-dibenzo-p-dioxin (2,3,7,8-TCDD): quality control in a cross sectional epidemiological study 867

Shore F.L see Hardin E.D. 1093 Short J.J see Stoddart T.L. Simmleit N. and Schulten H.-R. Thermal degradation products of spruce needles 1855 Simmons J.E see DeMarini D.M. 2293 Simon N. Guzzetta J. and Thielen D. GC/MS and GC/MS/MS: complimentary techniques for the quantitation of tetrachlorodibenzo-p-dioxin in soils and sediments from industrial sites 163

Sinkkonen S. The fate of some crude oil residues in sediments 2093 Sisk W.E see Williams R.T. 2389 Sixto H see Tadeo J.L. 1673 Skett P.W see Creaser C.S. 767 Skinner J.H see desRosiers P.E. 41 Sloop T see Goldstein J.A. 695 Smeds A see Holmbom B. 2237
Smith R see Gierthy J.F. 793
Smith R.M see O'Keefe P.W. 185
Smith R.M. O'Keefe P.W. Hilker D.R.

Aldous K.M. Mo S.H. and Stelle R.M. Ambient air and incinerator testing for chlorinated dibenzofurans and dioxins by low

resolution mass spectrometry 585 Solch J.G see Harden L.A. 85, see Tiernan T.O. 93, 835, see Wagel

Soler M. Grimalt J.O. and Albaiges J. Vertical distribution of aliphatic and aromatic hydrocarbons in mussels from the Amposta offshore oil production platform (Western Mediterranean) 1809

Soma M see Soma Y. 1895 Soma Y. and Soma M. Formation of hydroxydibenzofurans from chlorophenols adsorbed on Fe-ion exchanged montmorillonite 1895

Sorace C see Williams L.A. 947 Sovocool G.W see Donnelly J.R. 209, see Munslow W.D. 225

Sovocool G.W. Donnelly J.R. Munslow W.D. Vonnahme T.L. Nunn N.J. Tondeur Y. and Mitchum R.K. Analysis of municipal incinerator fly ash for bromoand bromochloro-dioxins, dibenzofurans, and related compounds 193

Spink D see Ding W.-H. 1935, see O'Keefe P.W. 185

Srinivasan K.R. and Fogler H.S. Use of modified clays for the removal and disposal of chlorinated dioxins and other priority pollutants from industrial wastewaters 333

Stanley J.S see O'Keefe P.W. 185 Stelle R.M see Smith R.M. 585 Stephens R.D see Hayward D.G. 455 Stephens S.E see Hayward D.G. 455 Stieglitz L see Först C. 1943

Stieglitz L. Zwick G. Beck J. Roth W. and Vogg H. On the De-Novo synthesis of PCDD/PCDF on fly ash of municipal waste incinerators 1219

Stock W see Friege H. 1367 Stoddart T.L. and Short J.J. Dioxin surrogate trial burn: full scale rotary-kiln incinerator for decontaminating soils containing 2,3,7,8-tetrachlorodibenzo-p-

dioxin 355 Strigini P see Merlo F. 913 Sunahara G see Nelson K. 737 Suter S see Clement R.E. 1189 Suter S.A see Clement R.E. 133

Suter-Hofmann M. and Schlatter Ch. Subchronic relay toxicity study with a mixture of poly-chlorinated dioxins (PCDDs) and polychlorinated furans (PCDFs)

Suter-Hofmann M.E see Schmid P. 1741 Svenson A. Kaj L. and Björndal H. Aqueous photolysis of the iron (III) complexes of NTA, EDTA and DTPA 1805

Sweeney M.H see Shopp G.M. 867

erev M. and Ballschmiter K. Pattern analysis of PCDDs and PCDFs in environmental samples as an approach to an occurrence/source correlation

Sydenham E.W see Bouwman H. 2085

Tadeo J.L. Garcia-Baudin J.M. Matienzo T. Perez S. and Sixto H. Chlortoluron levels and selectivity in wheat cultivars

1673

Taguchi V.Y see Bobbie B.A. 155

Tait W.E see Nessel R.J. 1531

Takayama K see Miyata H. 407 Takeshita R see Tanaka M. 321
Takizawa Y see Tanaka M. 321
Tanabe S. Kannan N. Ono M. and
Tatsukawa R. Toxic threat to

marine mammals: increasing toxic potential of non-ortho and mono-ortho coplanar PCBs from land to ocean 485

Tanaka M. Watanabe I. Hiraoka M. Takizawa Y. Masuda Y. Takeshita R. and Yagome K. Formation and decomposition of dioxins and related compounds in fluidized bed incinerators 321

Tarhanen J. Koistinen J. Paasivirta J. Vuorinen P.J. Koivusaari J. Nuuja I. Kannan N. and Tatsuka R. Toxic significance of planar aromatic compounds in Baltic ecosystem - new studies on extremely toxic coplanar PCBs 1067

Tarkowski S see Rappe C. 883 Tarkowski S. and Yrjänheikki E. Polychlorinated dibenzodioxins and dibenzofurans in human milk: an interim health risk evaluation 1107

Tashiro C see Clement R.E. 1189
Tashiro C. Clement R.E. Lusis M. Orr
D. and Reid N. Monitoring dioxins and furans in precipitation samples 777

Tatsukawa R see Kannan N. 1955, see Tanabe S. 485, see Tarhanen J. 1067

Taylor K see Hong R. 313 Taylor M.L see Harden L.A. 85, see Tiernan T.O. 93, see Wagel D.J.

Tefft J.A see Walker W., II 1799 Teuf1 C see Hutzinger 0. 1235

Thielen D see Simon N. 163

Thoma H see Hutzinger O. 1235, see
Pinkerton M.N. 1243, see Reischl
A. 561, see Zacharewski T. 383

Thoma H. Mücke W. and Kretschmer E. Concentrations of PCDD and PCDF in human fat and liver samples

Thoma H. and Hutzinger O. Pyrolysis and GC/MS-analysis of brominated flame retardants in on-line operation 1047

Thoma H. Hauschulz G. and Hutzinger O. Pyrolysis of dibenzodioxin, dibenzofuran and 1,2,3,4-tetrabromodibenzodioxin with different chlorine donors and

catalysts 1213 Thomas F see Amendola G. 1181 Thompson C. Andries M. Lundgren K. Coldstein J. Collman G. and Lucier G. Humans exposed to polychlorinated biphenyls (PCBs) and polychlorinated dibenzofurans (PCDFs) exhibit increased SCE frequencies in lymphocytes when incubated with a-naphthoflavone: involvement of metabolic activation by P-450 isoxymes 687

Thompson M see Hileman F. 1039

Tiernan T see Amendola G. 1181 Tiernan T.O see Harden L.A. 85, see Wagel D.J. 177

Tiernan T.O. Garrett J.H. Solch J.G. Magel D.J. VanNess G.F. and Taylor M.L. Improved separations procedures for isolating 2,3,7,8-TCDD and 2,3,7,8-TCDF from chemically-complex aqueous and solid sample matrices and for definitive quantitation of these isomers at PPQ to PPT

concentrations 93
Tiernan T.O. Wagel D.J. Garrett J.H.
VanNess G.F. Solch J.G. Harden L.A. and Rogers C. Laboratory and field tests to demonstrate the efficacy of KPEG reagent for detoxification of hazardous wastes containing polychlorinated dibenzo-p-dioxins (PCDD) and dibenzofurans (PCDF) and soils contaminated with such chemical wastes 835
Tissut M see Mona S. 2077

Todeschini R see Pitea D. 1465, 1475, 1457 Tomisawa S see Horaguchi M. 1785

Tondeur Y see Sovocool G.W. 193
Tondeur Y. Beckert W.F. Billets S.
and Mitchum R.K. Method 8290: an analytical protocol for the multimedia characterization of polychlorinated dibenzodioxins and dibenzofurans by high-resolution gass chromatography/high-resolution mass

spectrometry 119 Tong H see Schecter A. 431 Tong H.Y see Schecter A. 1057

Tong H.Y. Monson S.J. Gross M.L. and Powell B.M. Elevated levels of 2,3,7,8-TCDD in the tissue of an argicultural sprayer of herbocides: a single case study 469

Tong H.Y. Arghestani S. Gross M.L. and Karasek F.W. Polychlorodibenzodioxins and polychlorodibenzofurans in the dust of the ambient atmosphere in a municipal waste incinerator 577

Tosine H.M see Clement R.E. 133 Towers G.H.N see Hudson J.B. 2317 Tran Thi Thu see Le Diem Huong 805, see Nguyen Thi Ngoc Phuong 843,

Trautner F see Hinkel M. 2433 Travis C.C see Hattemer-Frey H.A.

Tsatsaroni E see Arvanitoyannis I.

Tsyrlov I.B see Lyakhovich V.V. 715
Tsyrlov I.B. Chasovnikova O.B. and Lyakhovich V.V. Dynamic comparison of rat liver benzpyrene-hydroxylase induction by 2,3,7,8-tetrachlordibenzo-pdioxin and 3-methylcholanthrene

Turkstra E. and Pols H.B. PCDDs and PCDFs in Dutch Inland waters 539 Turlington J.M see Marbury G.D. 819 Turner W.E see Patterson D.G., Jr.

875 Turner W.E. Isaacs S. Alexander L.R. and Patterson D.G.Jr. A quality assurance program for largescale studies measuring 2,3,7,8tetrachlorodibenzo-p-dioxin in human serum 1009

Tuschall J.R see Marbury G.D. 819 Tysklind M see Marklund S. 1031

Umbreit T see Wendling J. 925 Urano K see Kawamoto K. 1987

Valente H see Ding W.-H. 1935, see O'Keefe P.W. 185 Van Bladel R see Pussemier L. 1871

Van den Berg M. de Jongh J. Eckhart P. and Van der Wielen F.W.M. The elimination and absence of pharacokinetic interaction of some polychlorinated dibenzo furans (PCDFs) in the liver of

the rat 665
Van der Wielen F.W.M see Van den

Berg M. 665 VanNess G.F see Tiernan T.O. 93, 835, see Wagel D.J. 177 Velez H see Gochfeld M. 517, see

Hansson M. 525 Verhoeve P see Kleinveld A.H. 1401 Viswanathan T.S see Kleopfer R.D. 109

Vogg H see Stieglitz L. 1219 Vogt R.F see Shopp G.M. 867 Vonnahme T.L see Donnelly J.R. 209, see Sovocool G.W. 193 Voogd K see Backlund P. 1903

Voss de Bettancourt C see Hayward

D.G. 455 Vuorinen P.J see Tarhanen J. 1067

Waern F see Ahlborg U.G. 283 Wagel D.J see Harden L.A. 85, see Tiernan T.O. 93, 835 Wagel D.J. Tiernan T.O. Taylor M.L.

Garrett J.H. VanNess G.F. Solch J.G. and Harden L.A. Assessments of ambient air sampling techniques for collecting airborne polyhalogenated dibenzo-p-dioxins (PCDD), dibenzofurans (PCDF) and biphenyls (PCB) 177

Wai C.C see Wong P.K. 2413
Wakimoto T see Kannan N. 1955
Walker W.,II Risebrough R.W. Jarman
W.M. de Lappe B.W. Tefft J.A. and DeLong R.L. Identification of tris(chlorophenyl)methanol in blubber of harbor seals from Puget Sound 1799

Wallace D.H see Nessel R.J. 1531 Wallén M see Norström A. 1513 Ward C see Hayward D.G. 455 Watanabe I see Tanaka M. 321 eber K see Bauer I. 1573 Webster T. and Connett P. Critical factors in the assessment of food chain contamination by PCDD/PCDF from incinerators 1123 Weerasinghe N.C.A see Bowman R.E.

Wehler J see Hileman F. 217, 1039 Wehner T.A see Nessel R.J. 1531 Weigelt V see Bauer I. 1573
Wendling J see Hileman F. 1039, 217
Wendling J. Hileman F. Orth R.
Umbreit T. Hesse E. and Gallo M.

An analytical assessment of the bioavailability of dioxin contaminated soils to animals

Wever J see Heida H. 1025 White P see Kew G.A. 1313 Whittemore R see Amendola G. 1181 Wiberg K see Schecter A. 531 Wiklund K see Dich J. 391

Wiklund K. Dich J. and Holm L.-E. Risk of soft tissue sarcoma, Hodgkin's desease and non-Hodgkin lymphoma among Swedish licensed pesticide applicators

395 Williams L.A. Kirshenbaum K. Daggett V.D. Sorace C. and Kahn P.C. Two-dimensional gel electrophoresis of liver microsomal proteins from rats treated with 2,3,7,8-tetrachlorodibenzo-pdioxin 3-methylcholanthrene, and phenobarbital 947

Williams R.T. MacGillivray A.R. and Sisk W.E. Mineralization and soil mobility of nitroguanidine and guanidine nitrate 2389 Williamson K.J see Norwood C.B. 553

Willis M.L see Pinkerton M.N. 1243 Wilson W.P see Gochfeld M. 517, see Hansson M. 525

Winger P.V see Ankley G.T. 2069 Wittkowski R see Beck H. 507, 417, 1063

Wondergam E see Backlund P. 1903 Wong C.K. Effects of cadmium on the feeding behaviour of the freshwater cladoceran Moina macrocopa 1681

Wong P.K. Wai C.C. and Liong E. Comparative study on mutagenicities of organophosphorus insecticides in salmonella 2413

Woods J.S. and Polissar L. Non-Hodgkin's lymphoma among phenoxy herbicide-exposed farm workers

in Western Washington State 401 Wurrey C.J. Gurka D.F. Fairless B.J. and Kleopfer R.D. Applications of infrared spectroscopy to dioxin analyses of environmental samples 897

Yagome K see Tanaka M. 321 Yamada T see Miyata H. 407 Yanders A see Belli G. 1251 Yanders A.F see Duebelbeis D.O. 101, see Kapila S. 1297, see Lower W.R. 1079, see Orazio C. 69, see Puri R.K. 1291

Yao C see Safe S. 941 Yasuhara A. and Morita M. Formation of chlorodibenzofurans by thermal decomposition of

vinylidene chloride polymer 1737 Yediler A. Zhang Y. Cai J.P. and Korte F. Effect of the microbial population size on the degradation of linear alkylbenzene sulfonate in lake water Dong Hu = East Lake, Wuhan, Hubei, P.R. China) 1589

Yoshimura K see Onitsuka S. 1621 Yrjänheikki E see Rappe C. 883, see Tarkowski S. 1107

Zacharewski T see Safe S. 709, 941 Zacharewski T. Harris M. Safe S. Thoma H. Hauschulz G. Knorr E. and **Hutzinger O.** Applications of the in vitro AHH induction bioassay for determining 2,3,7,8-TCDD equivalents: pyrolyzed flame retardant mixtures 383 Zappoli S see Morselli L. 2263

Zapponi G see Funari E. 2339 Zepp R.G see Miller G.C. 1265 Zerbinati O see Pelizzetti E. 1437 Zhang Y see Yediler A. 1589 Zimmerman M see Czuczwa J. 847 Zocchetti C see Ratti S.P. 921 Zwick G see Stieglitz L. 1219

